


Flytec Range by Atkore Unistrut



Atkore[™]
Unistrut

3

About Cable
Trunking

5

Steel Cable Trunking
Systems

6

Standard
Accessories

7

Fast Fix
Accessories

8

IP54 Accesories

9

Dado Trunking
Systems

13

Skirting Trunking
Systems

17

Bench Trunking
Systems

18

Flush Floor Shallow
Screed

20

D6 Flush Floor
Trunking

23

Underfloor
Trunking

26

Service Outlet
Boxes

27

Lighting
Trunking

Leading the way of Cable Trunking

Bespoke offering

‘Flytec’s innovative product range has been a great addition to the portfolio, allowing us to expand our overall offering’

Custom Made Solutions

Sharing experience, knowledge, and expertise. The business continues to make investments in people, products, and services. This contributes towards Atkore Unistrut & Marco’s success in a wide range of industry sectors.

Site Survey, Measure & Design Services

Atkore Unistrut & Marco offers a tailor-made solution, prepared according to your specific needs and requirements. By listening to the customers’ needs, the business strives to provide high quality products and services that meet and exceed expectations.

Working in partnership with the customers, the aim is to achieve total customer satisfaction.


All of Atkore Unistrut & Marco Technical Sales Managers work closely with contractors and distributors to assist in design and offering on site measurement services and advice.

This flexible approach to manufacturing differentiates us from the market.


Surface Trunking




Perimeter Systems



Floor Systems



Lighting Trunking



Steel Cable Trunking Systems

Surface Trunking

Flytec's innovative product range has been a great addition to the portfolio, allowing the business to expand the overall offering.


The Steel Surface Trunking range includes, Fast Fix IP4X, Security Fixing and IP54 Trunking, is available in single and multi-compartments.

All lengths are supplied with internal connectors secured by M5 bright zinc-plated screws fixed into Captive Nut inserts.

All Surface Trunking is made from Pre-Galvanised Steel to BS EN 10142 & 3 and is manufactured to BS EN 50085-1 and BS EN 50085-2-1.


Straight lids are secured by a two part all steel turnbuckle as standard. Slotted or tamperproof screw lids are also available on request.

Accessories are generally a one piece construction complete with internal fitting connector. The entire range is also available in a powder coated finish on request.




Standard Accessories


Surface Trunking Accessories




Straight Length - TR




Crossover - CO




Crossover Square - COSQ




External Bend - EB




External Gusset Bend - EGB



External Gusset Tee - EGT




External Square Bend - ESB




External Square Tee - EST




Flat Bend - FB




Flat Gusset Bend - FGB




Flat Gusset Tee - FGT




Flat Square Bend - FSB




Flat Square Tee - FST




Internal Bend - IB




Internal Gusset Bend - IGB



Internal Gusset Tee - IGT



Internal Square Bend - ISB




Internal Square Tee - IST


Fast Fix Accessories

Surface Trunking Accessories


Please Note: Fast Fix is IP4x compliant as a standard, without any additional accessories required.




Crossover - COFF




Crossover Square - COSQFF




External Bend - EBFF




External Gusset Bend - EGBFF




External Gusset Tee - EGTF




External Square Bend - ESBFF




External Square Tee - ESTFF




Flat Bend - FBFF




Flat Gusset Bend - FGBFF




Flat Gusset Tee - FGTF




Flat Square Bend - FSBFF




Flat Square Tee - FSTFF




Internal Bend - IBFF




Internal Gusset Bend - IGBFF



Internal Gusset Tee - IGTF




Internal Square Bend - ISBFF




Internal Square Tee - ISTFF

IP54 Accessories


Surface Trunking Accessories




Straight Length - TR




Stop End - EC




External Bend - EB




External Gusset Bend - EGB




External Gusset Tee - EGT




External Square Bend - ESB




Flat Gusset Bend - FGB




Flat Gusset Tee - FGT




Flat Square Bend - FSB




Flat Square Tee - FST




Internal Bend - IB



Internal Gusset Tee - IGT



Internal Square Bend - ISB




IP54 Strap - SS

Dado Trunking Systems


Perimeter Systems

The Flytec Dado Trunking range is designed to be installed around the perimeter above floor level, allowing for optimum use of floor space.


Dado Trunking is supplied in 2 metre lengths. Manufactured to the same high quality as our skirting trunking,



Chamfer Dado - CD



Double Chamfer Dado - DCD



Square Dado - SD




Key Features:

- Chamfer Top, Flat Top or Double Chamfer Dado options are available as standard
- 20mm knockouts in partition at the 200mm centres, allowing easy positioning of outlet plates, which require screening via the steel back box that fixes to the partition
- Lids can be powder coated to any RAL colour upon request
- 2 or 3 compartments are most commonly used. However, systems to suit client's individual requirements can be manufactured
- Available with security screws (TX) using M5x8 pin torx


Dado Accessories

Perimeter Systems


Chamfer Dado Accessories - CD




CD62 2C




CD62 3C




CD82 2C




CD82 3C




End Cap - EC




External Bend - EB




External Square Bend - ESB




External Square Tee - EST




Flat Bend Down - FBD




Flat Bend Up - FBU




Flat Square Bend Down - FSB D




Flat Square Bend Up - FSB U




Flat Square Tee Down
Left Hand - FST D L H




Flat Square Tee Down
Right Hand - FST D R H




Flat Square Tee Up
Left Hand - FST U L H



Flat Square Tee Up
Right Hand - FST U R H




Internal Bend - IB



Internal Square Bend - ISB



Single Socket Lid - SSO




Twin Socket Lid - TSO


Dado Accessories

Perimeter Systems

Double Chamfer Dado Accessories - DCD



DCD82 2C




DCD82 3C



Single Socket Lid - SSO




Twin Socket Lid - TSO




End Cap - EC




External Bend - EB




External Square Bend - ESB




External Square Tee - EST




Flat Bend - FB




Flat Square Bend - FSB




Flat Square Tee - FST



Internal Bend - IB



Internal Square Bend - ISB



Internal Square Tee - IST



DCD Strap

How to order guide:

- Accessory part numbers are the same for all styles of skirting and dado. It is the trunking part number pre-fixed before the accessory that ensures you get the correct item.


For example:

- An external bend for 200mm x 50mm, 2 compartment double chamfer dado
- Take trunking reference DCD82/2C + accessory part number ESB to give DCD82/2C/ESB


Dado Accessories

Perimeter Systems


Square Dado Accessories - SD




SD62 2C




SD62 3C




SD82 2C




SD82 3C




End Cap - EC




External Bend - EB




External Square Bend - ESB




External Square Tee - EST




Flat Bend - FB




Flat Square Bend Down - FSB D




Flat Square Bend Up - FSB U




Flat Square Tee - FST




Internal Bend - IB




Internal Square Bend - ISB




Internal Square Tee - IST



SD Strap



Single Socket Lid - SSO




Twin Socket Lid - TSO

Skirting Trunking Systems


Perimeter Systems

Skirting Trunking is supplied in 2 metre lengths, comprising a Galvanised sheet steel body with an overlapping lid. A cover strap is provided with each length of lid.

This reduces the necessity for special on-site cutting requirements, as the strap covers any cut edges.



Top Chamfer - TC



Top Flat - TF


Key Features:

- 20mm knockouts in the partition at the 200mm centres, allowing easy positioning of outlet plates, which require screening via the steel back box that fixes to the partition
- Chamfered or flat top options as standard
- Powder coated finishes are available to any RAL colour
- 2 or 3 compartments are most commonly used. However, systems to suit client's individual requirements can be manufactured with the same short lead time


Skirting Accessories

Perimeter Systems


Top Chamfer Accessories - TC




TC62 2C




TC62 3C




TC82 2C




TC82 3C




End Cap - EC




External Bend - EB




External Square Bend - ESB




External Square Tee - EST




Flat Bend Down - FBD




Flat Bend Up - FBU




Flat Square Bend Down - FSBD




Flat Square Bend Up - FSBU




Flat Square Tee Down
Left Hand - FSTD LH




Flat Square Tee Down
Right Hand - FSTD RH




Flat Square Tee Up
Left Hand - FSTU LH




Flat Square Tee Up
Right Hand - FSTU RH



Internal Bend - IB



Internal Square Bend - ISB



Internal Square Tee - IST




Single Socket Lid - SSO


Skirting Accessories

Perimeter Systems


Top Flat Accessories - TF




TF62 2C




TF62 3C




TF82 2C




TF82 3C




End Cap - EC




External Bend - EB




External Square Bend - ESB




External Square Tee - EST




Flat Bend Down - FBD




Flat Bend Up - FBU




Flat Square Bend Down - FSBD




Flat Square Bend Up - FSBU




Flat Square Tee Down
Left Hand - FSTD LH




Flat Square Tee Down
Right Hand - FSTD RH




Flat Square Tee Up
Left Hand - FSTU LH



Flat Square Tee Up
Right Hand - FSTU RH



Internal Bend - IB



Internal Square Bend - ISB



Single Socket Lid - SSO



Twin Socket Lid - TSO

Perimeter Systems

How to order Skirting & Dado Trunking

How to order Perimeter Trunking guide:

- To order Skirting/Dado Trunking, select the trunking family, the size (see table below), and the compartment 2C or 3C

For example:

- Square Dado Trunking in size 6x2 in 2 Compartments
- Take trunking reference SD + size 62 + 2 compartment 2C to give SD62/2C

Perimeter Systems Size Guide

62 (6x2)	2C
82 (8x2)	3C*

- *Not available in all parts

How to order Perimeter Trunking Accessories guide:

- To order Skirting/Dado Trunking Accessories, simply select the trunking family, the size, the compartment and the accessory


For example:

- Top Chamfer Skirting Trunking 90° Internal Bend in size 6x2 in 2 Compartments
- Take trunking reference TC + size 62 + 2 compartment 2C + 90° Internal Bend ISB to give TC62/2C/ISB


Bench Trunking Systems

Bench Trunking


Atkore Unistrut's easy to install Flytec Bench Trunking System offers a practical solution to provide services on benches and desks, commonly used in laboratories, workshops and schools/colleges.



Bench Trunking - R35




External Bend - ESB




Internal Bend - ISB



Stop End - EC



Single Socket Lid - SSO



Twin Socket Lid - TSO

Flytec Bench Trunking is supplied in 2 metre lengths.

It comprises of a single compartment angled body with a powder-coated lid, to any RAL colour.

Each length and accessory is supplied with an internal connector.



Education Sector

The Flytec Bench Trunking range is the perfect choice for projects in the Education Sector. Bench Trunking is often specified for use in schools, colleges and laboratories.



Available in
in any RAL
upon
request

Flush Floor Shallow Screed

Floor Systems

Flush Floor Trunking body is supplied in 2 metre lengths complete with 2x 1 metre lids secured by means of flush all steel turnbuckle fasteners. Each length of Flytec trunking is supplied with one external fitting connector.

Lids are manufactured from 3mm thick Galvanised steel. They are fully removable and may be flush or recessed by 3mm as standard. Other depths of recess can also be supplied. It is advisable that all lid sections are fitted during screeding. This will prevent any slight inward movement to the sides of trunking body.

Atkore Unistrut recommend that Flush Floor Trunking is installed on a ribbon screed or similar to ensure support along the entire length and width of the system.

Service Outlet Boxes

Service outlet boxes are available for shallow screed trunking.

- The underside of the box must be set lower into the floor to enable cables to pass under the socket outlet plates whilst maintaining lids to finish level with screed
- Carpet trim and lid assembly are manufactured in a tough plastic moulding which has two individual hinged cable outlets in dark grey
- The lid is reinforced by a 3mm steel plate
- Carpet recess is 6mm

2 Compartment

- 2 compartment service box designed to fit into the trunking anywhere along the system layout excluding junction points


3 Compartment

- 3 compartment service box designed to fit into the trunking anywhere along the system layout excluding junction points
- All sockets or a variety of plates can be supplied on request
- Carpet trim & lid assembly manufactured in a tough plastic moulding containing two individual hinged cable outlets in dark grey
- The lid is reinforced by a 3mm steel plate and the carpet recess is 6mm

D1 & D2 Accessories


Floor Systems

D1 Accessories




D1 TR


D1 flush including accessories




Crossover - CO




Flat Bend - FB




Flat Square Bend - FSB




Flat Square Tee - FST




Back Entry - BE



Service Box - SB




Junction Box - JB




Internal Square Bend Riser - ISB


D2 Accessories




D2 TR




Crossover - CO




Flat Bend - FB




Flat Square Bend - FSB




Flat Square Tee - FST




Back Entry - BE



Service Box - SB



Junction Box - JB




Internal Square Bend Riser - ISB

D6 Flush Floor Trunking

Floor Systems


Flytec's flush floor trunking is supplied in 2 metre lengths, including 400mm lengths of removable lid which are interchangeable with a service outlet box, thus giving the designer flexibility of positioning within a screeded floor installation.

Flytec lids that are manufactured from 3mm thick Galvanised Steel are fixed to the trunking body by countersunk zinc plated steel turnbuckle fasteners, providing speed of fitting by the installer and maximum rigidity of the finished product.



2 Compartment D6/C/15

235mm x 65mm



3 Compartment D6/C/16

330mm x 65mm


Key Features:

- Available in two or three compartments
- Full range of accessories available
- It is advisable that all lid sections are fitted during screeding. This will prevent any slight inward movement to the sides of trunking body


D6 Flush Floor Accessories

Floor Systems


2 Compartment Accessories




Flat Bend 2C - FB 2C




Flat Square Bend 2C - FSB 2C




Internal Riser 2C - ISB 2C



Back Entry 2C - BE 2C




Junction Box 2C - JB 2C




Socket Box - SB


3 Compartment Accessories




Flat Bend 3C - FB 3C




Flat Square Bend 3C - FSB 3C



Internal Riser 3C - ISB3C



Back Entry 3C - BE 3C



Junction Box 3C - JB 3C

Junction boxes are available in Cross, Tee & 90° Bends

D6 Flush Floor Trunking

How to order D6 Flush Floor Trunking & Accessories guide

- To order D6 Flush Floor Trunking, select the trunking and the compartment (see table below)
- For accessories, simply add the accessory part number to the end of the code

For example:

- D6 2 Compartment Trunking
- Take trunking reference **D6/C** + 2 compartment **15** to give **D6/C/15**
- D6 Riser Bend 2 Compartment Trunking
- Take trunking reference **D6/C** + 2 compartment **15** + **ISB** to give **D6/C/15/ISB**

D6 Flush Floor Guide


15	2 Compartment
16	3 Compartment

- *Not available in all parts


Underfloor Trunking

Floor Systems

Underfloor Trunking is designed for placing the constructional concrete slab, to be completely covered when the final floor screed is laid and the service outlet positions fixed.



150mm x 25mm – E2/61
150mm x 50mm – E2/62



225mm x 25mm – E3/91
225mm x 50mm – E3/92

- The prefix for underfloor trunking lengths begins with E2 or E3 and accessories prefix UF
- Steel Underfloor Trunking is manufactured in 2 metre lengths
- Two or three compartment are most commonly used
- Single or other numbers of compartments can also be supplied
- The trunking lengths are a total welded construction with no need to couple together loose channel sections
- Each length is joined together by a saddle clamp and plate, which prevent any ingress of screed into the duct

Service Outlet Boxes


3 Compartment

- 75mm deep as standard, other depths available on request
- Additional sockets or a variety of plates can be supplied on request
- Carpet trim and lid assembly manufactured in a tough plastic moulding which has two individual hinged cable outlets in dark grey
- The lid is reinforced by a 3mm steel plate
- Carpet recess is 6mm
- Socket plates sold separately


Underfloor Accessories

Floor Systems


- Junction boxes part numbers UF/JB (75mm deep as standard, other depths available)
- Junction boxes are supplied with flange couplers and blank plates to enable use as angles, tees or 4 way
- Each box is complete with Fly-Over for cable segregation
- Carpet recess is 6mm
- Please note: Junction boxes cannot be used to house sockets or data outlets




150mm x 25mm - E2/61
150mm x 50mm - E2/62




Junction Box - JB




Connector - Conn




End Cap - EC




Flat Bend 2C - FB 2C




Flat Square Bend 2C - FSB 2C




Inside Riser 2C - ISB 2C




Back End Riser 2C - BE 2C




225mm x 25mm - E3/91
225mm x 50mm - E3/92



Flat Bend 3C - FB 3C



Flat Square Bend 3C - FSB 3C



Inside Riser 3C - ISB 3C

Underfloor Trunking

How to order Underfloor trunking guide

To order Underfloor Trunking, select the trunking and the compartment (see table below)

For example:

- E2 2 Compartment Trunking in size 6x1
- Take trunking reference E2 + size 61 to give E2/61

Underfloor Compartment Guide	
E2	2 Compartment
E3	3 Compartment

*Not available in all parts

Underfloor Size Guide		
61 (6x1)	615 (6x1.5)	62 (6x2)
91 (9x1)	915 (9x1.5)	92 (9x2)
121 (12x1)	1215 (12x15)	122 (12x2)

How to order Underfloor Trunking Accessories guide:

- To order Underfloor Trunking Accessories, simply use the code UF followed by the size the compartment and the accessory part number

For example:

- Underfloor Riser Bend in size 6x1
- Take trunking reference UF + size 61 + 2 Compartment 2C + accessory code ISB to give UF/61/2C/ISB

Service Outlet Boxes

Floor Systems

For screed or raised floor applications

- Available in 2, 3 or 4 compartments
- Outer box with 20mm and 25 mm knockouts of two sides
- Standard box depth is 75mm, other sizes are available
- A wide range of outlet plates to carry voice, data and power sockets
- Available with a dark grey carpet trim fitted as standard or a stainless steel trim
- Deep lid recess boxes can be manufactured to accommodate stone, marble or timber infill

3 Compartment

- Floor cut-out size 304mm x 221mm
- Socket Plates sold separately

4 Compartment


- Floor cut-out size is 304mm x 221mm
- Socket Plates sold separately
- Only panel-mounted accessories will fit into 4 box compartment boxes

For Service Box Plates, please refer to the Atkore Unistrut & Marco Product Catalogue

Lighting Trunking - Galvanised

Lighting Trunking


- Lighting trunking is 50 mm x 50 mm and is available in 3, 4 or 5 metre lengths
- The trunking may be fixed directly to the ceiling or suspended by hanging brackets
- Lids in 2 metre lengths can be supplied in galvanised or white PVC material
- Long connectors fixed internally between trunking lengths provide strength & rigidity through the trunking run




Galvanised Trunking - FLT22




Crossover - CO




External Bend - EB




External Square Bend - ESB




External Square Tee - EST




Flat Bend - FB




Flat Square Bend - FSB




Flat Square Tee - FST




Connector - Conn




Cable Retainer - CS




Internal Bend - IB




Internal Square Bend - ISB




Internal Square Tee - IST




End Cap - EC




Hanger - HC




Galvanised Lid



Girder Clamp - GC



Flange - FE




Fitting Suspensions - SK




Lighting Trunking

Powder Coated


- Lighting trunking can also be supplied in any RAL colour, this greatly enhances the aesthetic value of an exposed lighting layout
- Powder coated lighting trunking is supplied in 3, 4 and 5 metre lengths
- Lids and connectors must be ordered separately with lighting trunking




Powder Coated - FLT22/W




Crossover - CO/W




External Bend - EB/W




External Square Bend - ESB/W




External Square Tee - EST/W




Flat Bend - FB/W




Flat Square Bend - FSB/W




Flat Square Tee - FST/W




Connector - Conn/W




Fitting Suspensions - SK/W




Internal Bend - IB/W




Internal Square Bend - ISB/W




Internal Square Tee - IST/W




End Cap - EC/W




Hanger - HC/W



PVC Lid - FLT/LID/W



Girder Clamp - GC/W



Flange - FE/W



Product Abbreviations

Guide

Product Abbreviations	
TR	Trunking
CO	Cross Over (Gusset)
COSQ	Cross Over (Square)
FB	Flat Bend 45°
FGB	Flat Gusset Bend 90°
FST	Flat Gusset Tee 90°
FSB	Flat Square Bend 90°
FGB	Flat Gusset Bend 90°
FST	Flat Square Tee 90°
IB	Internal Bend 45°
IGB	Internal Gusset Bend 90°
IGB	Internal Gusset Bend 90°
ISB	Internal Square Bend 90°
IGT	Internal Gusset Tee 90°
IST	Internal Square Tee 90°
EB	External Bend 45°
EGB	External Gusset Bend 90°
ESB	External Square Bend 90°
EST	External Square Tee 90°
EGT	External Gusset Tee 90°

Surface Trunking (Camlock)

Product Codes

Trunking TR	Cross Over (Gusset) CO	Cross Over (Square) COSQ	Flat Bend 45° FB	Flat Gusset Bend FGB	Flat Gusset Tee 90° FGT	Flat Square Bend FSB	Flat Square Tee FST
TR22	CO22	COSQ22	FB22	EC32	FGT32	FSB32	FST32
TR32	CO32	COSQ32	FB32	FGB32	FGT32	FSB32	FST32
TR33	CO33	COSQ33	FB33	FGB33	FGT33	FSB33	FST33
TR42	CO42	COSQ42	FB42	FGB42	FGT42	FSB42	FST42
TR43	CO43	COSQ43	FB43	FGB43	FGT43	FSB43	FST43
TR44	CO44	COSQ44	FB44	FGB44	FGT44	FSB44	FST44
TR62	CO62	COSQ62	FB62	FGB62	FGT62	FSB62	FST62
TR63	CO63	COSQ63	FB63	FGB63	FGT63	FSB63	FST63
TR64	CO64	COSQ64	FB64	FGB64	FGT64	FSB64	FST64
TR66	CO66	COSQ66	FB66	FGB66	FGT66	FSB66	FST66
TR82	CO82	COSQ82	FB82	FGB82	FGT82	FSB82	FST82
TR83	CO83	COSQ83	FB83	FGB83	FGT83	FSB83	FST83
TR84	CO84	COSQ84	FB84	FGB84	FGT84	FSB84	FST84
TR86	CO86	COSQ86	FB86	FGB86	FGT86	FSB86	FST86
TR88	CO88	COSQ88	FB88	FGB88	FGT88	FSB88	FST88
TR92	CP92	COSQ93	FB92	FGB93	FGT93	FSB93	FST93
TR93	CO93	COSQ93	FB93	FGB93	FGT93	FSB93	FST93
TR94	CO94	COSQ94	FB94	FGB94	FGT94	FSB94	FST94
TR96	CO96	COSQ96	FB96	FGB96	FGT96	FSB96	FST96
TR98	CO98	COSQ98	FB98	FGB98	FGT98	FSB98	FST98
TR99	CO99	COSQ99	FB99	FGB99	FGT99	FSB99	FST99
TR122	CO122	COSQ122	FB122	FGB122	FGT122	FSB122	FST122
TR123	CO123	COSQ123	FB123	FGB123	FGT123	FSB123	FST123
TR124	CO124	COSQ124	FB124	FGB124	FGT124	FSB124	FST124
TR126	CO126	COSQ126	FB126	FGB126	FGT126	FSB126	FST126
TR128	CO128	COSQ128	FB128	FGB128	FGT128	FSB128	FST128
TR129	CO129	COSQ129	FB129	FGB129	FGT129	FSB129	FST129
TR1212	CO1212	COSQ1212	FB1212	FGB1212	FGT1212	FSB1212	FST1212

Surface Trunking (Camlock)

Product Codes

Internal Bend 45°	Internal Gusset Bend 90°	Internal Gusset Tee 90°	Internal Square Bend 90°	Internal Square Tee 90°	External Bend 45°	External Gusset Bend 90°	External Square Bend 90°	External Square Tee 90°	External Gusset Tee 90°
IB	IGB	IGT	ISB	IST	EB	EGB	ESB	EST	EGT
IB32	IGB32	IGT32	ISB32	IST32	EB32	EGB32	ESB32	EST32	EGT32
IB32	IGB32	IGT32	ISB32	IST32	EB32	EGB32	ESB32	EST32	EGT32
IB33	IGB33	IGT33	ISB33	IST33	EB33	EGB33	ESB33	EST33	EGT33
IB42	IGB42	IGT42	ISB42	IST42	EB42	EGB42	ESB42	EST42	EGT42
IB43	IGB43	IGT43	ISB43	IST43	EB43	EGB43	ESB43	EST43	EGT43
IB44	IGB44	IGT44	ISB44	IST44	EB44	EGB44	ESB44	EST44	EGT44
IB62	IGB62	IGT62	ISB62	IST62	EB62	EGB62	ESB62	EST62	EGT62
IB63	IGB63	IGT63	ISB63	IST63	EB63	EGB63	ESB63	EST63	EGT63
IB64	IGB64	IGT64	ISB64	IST64	EB64	EGB64	ESB64	EST64	EGT64
IB66	IGB66	IGT66	ISB66	IST66	EB66	EGB66	ESB66	EST66	EGT66
IB82	IGB82	IGT82	ISB82	IST82	EB82	EGB82	ESB82	EST82	EGT82
IB83	IGB83	IGT83	ISB83	IST83	EB83	EGB83	ESB83	EST83	EGT83
IB84	IGB84	IGT84	ISB84	IST84	EB84	EGB84	ESB84	EST84	EGT84
IB86	IGB86	IGT86	ISB86	IST86	EB86	EGB86	ESB86	EST86	EGT86
IB88	IGB88	IGT88	ISB88	IST88	EB88	EGB88	ESB88	EST88	EGT88
IB93	IGB93	IGT93	ISB93	IST93	EB93	EGB93	ESB93	EST93	EGT93
IB93	IGB93	IGT93	ISB93	IST93	EB93	EGB93	ESB93	EST93	EGT93
IB94	IGB94	IGT94	ISB94	IST94	EB94	EGB94	ESB94	EST94	EGT94
IB96	IGB96	IGT96	ISB96	IST96	EB96	EGB96	ESB96	EST96	EGT96
IB98	IGB98	IGT98	ISB98	IST98	EB98	EGB98	ESB98	EST98	EGT98
IB99	IGB99	IGT99	ISB99	IST99	EB99	EGB99	ESB99	EST99	EGT99
IB122	IGB122	IGT122	ISB122	IST122	EB122	EGB122	ESB122	EST122	EGT122
IB123	IGB123	IGT123	ISB123	IST123	EB123	EGB123	ESB123	EST123	EGT123
IB124	IGB124	IGT124	ISB124	IST124	EB124	EGB124	ESB124	EST124	EGT124
IB126	IGB126	IGT126	ISB126	IST126	EB126	EGB126	ESB126	EST126	EGT126
IB128	IGB128	IGT128	ISB128	IST128	EB128	EGB128	ESB128	EST128	EGT128
IB129	IGB129	IGT129	ISB129	IST129	EB129	EGB129	ESB129	EST129	EGT129
IB1212	IGB1212	IGT1212	ISB1212	IST1212	EB1212	EGB1212	ESB1212	EST1212	EGT1212

For 2 Comp - Add 2C on the end of the part number

E.g. EB222C

3 Comp starts at 42 series

E.g. EB423C

Surface Trunking (TX)

Product Codes

Trunking	Cross Over (Gusset)	Cross Over (Square)	Flat Bend 45°	Flat Gusset Bend	Flat Gusset Tee 90°	Flat Square Bend 90°	Flat Square Tee 90°
TR-TX	CO-TX	COSQ-TX	FB-TX	FGB-TX	FGT-TX	FSB-TX	FST-TX
TR22TX	CO22TX	COSQ22TX	FB22TX	FGB22TX	FGT22TX	FSB22TX	FST22TX
TR32TX	CO32TX	COSQ32TX	FB32TX	FGB32TX	FGT32TX	FSB32TX	FST32TX
TR33TX	CO33TX	COSQ33TX	FB33TX	FGB33TX	FGT33TX	FSB33TX	FST33TX
TR42TX	CO42TX	COSQ42TX	FB42TX	FGB42TX	FGT42TX	FSB42TX	FST42TX
TR43TX	CO43TX	COSQ43TX	FB43TX	FGB43TX	FGT43TX	FSB43TX	FST43TX
TR44TX	CO44TX	COSQ44TX	FB44TX	FGB44TX	FGT44TX	FSB44TX	FST44TX
TR62TX	CO62TX	COSQ62TX	FB62TX	FGB62TX	FGT62TX	FSB62TX	FST62TX
TR63TX	CO63TX	COSQ63TX	FB63TX	FGB63TX	FGT63TX	FSB63TX	FST63TX
TR64TX	CO64TX	COSQ64TX	FB64TX	FGB64TX	FGT64TX	FSB64TX	FST64TX
TR66TX	CO66TX	COSQ66TX	FB66TX	FGB66TX	FGT66TX	FSB66TX	FST66TX
TR82TX	CO82TX	COSQ82TX	FB82TX	FGB82TX	FGT82TX	FSB82TX	FST82TX
TR83TX	CO83TX	COSQ83TX	FB83TX	FGB83TX	FGT83TX	FSB83TX	FST83TX
TR84TX	CO84TX	COSQ84TX	FB84TX	FGB84TX	FGT84TX	FSB84TX	FST84TX
TR86TX	CO86TX	COSQ86TX	FB86TX	FGB86TX	FGT86TX	FSB86TX	FST86TX
TR88TX	CO88TX	COSQ88TX	FB88TX	FGB88TX	FGT88TX	FSB88TX	FST88TX
TR92TX	CO92TX	COSQ93TX	FB93TX	FGB93TX	FGT93TX	FSB93TX	FST93TX
TR93TX	CO93TX	COSQ93TX	FB93TX	FGB93TX	FGT93TX	FSB93TX	FST93TX
TR94TX	CO94TX	COSQ94TX	FB94TX	FGB94TX	FGT94TX	FSB94TX	FST94TX
TR96TX	CO96TX	COSQ96TX	FB96TX	FGB96TX	FGT96TX	FSB96TX	FST96TX
TR98TX	CO98TX	COSQ98TX	FB98TX	FGB98TX	FGT98TX	FSB98TX	FST98TX
TR99TX	CO99TX	COSQ99TX	FB99TX	FGB99TX	FGT99TX	FSB99TX	FST99TX
TR122TX	CO122TX	COSQ122TX	FB122TX	FGB122TX	FGT122TX	FSB122TX	FST122TX
TR123TX	CO123TX	COSQ123TX	FB123TX	FGB123TX	FGT123TX	FSB123TX	FST123TX
TR124TX	CO124TX	COSQ124TX	FB124TX	FGB124TX	FGT124TX	FSB124TX	FST124TX
TR126TX	CO126TX	COSQ126TX	FB126TX	FGB126TX	FGT126TX	FSB126TX	FST126TX
TR128TX	CO128TX	COSQ128TX	FB128TX	FGB128TX	FGT128TX	FSB128TX	FST128TX
TR129TX	CO129TX	COSQ129TX	FB129TX	FGB129TX	FGT129TX	FSB129TX	FST129TX
TR1212TX	CO1212TX	COSQ1212TX	FB1212TX	FGB1212TX	FGT1212TX	FSB1212TX	FST1212TX

For 2 Comp - Add 2C on the end of the part number E.g. EB22TX2C // 3 Comp starts at 42 series E.g. EB42TX3C

Surface Trunking (TX)

Product Codes

Internal Bend 45°	Internal Gusset Bend 90°	Internal Gusset Tee 90°	Internal Square Bend 90°	Internal Square Tee 90°	External Bend 45°	External Gusset Bend 90°	External Square Bend 90°	External Square Tee 90°	External Gusset Tee 90°
IB-TX	IGB-TX	IGT-TX	ISB-TX	IST-TX	EB-TX	EGB-TX	ESB-TX	EST-TX	EGT-TX
IB22TX	IGB22TX	IGT22TX	ISB22TX	IST22TX	EB22TX	EGB22TX	ESB22TX	EST22TX	EGT22TX
IB32TX	IGB32TX	IGT32TX	ISB32TX	IST32TX	EB32TX	EGB32TX	ESB32TX	EST32TX	EGT32TX
IB33TX	IGB33TX	IGT33TX	ISB33TX	IST33TX	EB33TX	EGB33TX	ESB33TX	EST33TX	EGT33TX
IB42TX	IGB42TX	IGT42TX	ISB42TX	IST42TX	EB42TX	EGB42TX	ESB42TX	EST42TX	EGT42TX
IB43TX	IGB43TX	IGT43TX	ISB43TX	IST43TX	EB43TX	EGB43TX	ESB43TX	EST43TX	EGT43TX
IB44TX	IGB44TX	IGT44TX	ISB44TX	IST44TX	EB44TX	EGB44TX	ESB44TX	EST44TX	EGT44TX
IB62TX	IGB62TX	IGT62TX	ISB62TX	IST62TX	EB62TX	EGB62TX	ESB62TX	EST62TX	EGT62TX
IB63TX	IGB63TX	IGT63TX	ISB63TX	IST63TX	EB63TX	EGB63TX	ESB63TX	EST63TX	EGT63TX
IB64TX	IGB64TX	IGT64TX	ISB64TX	IST64TX	EB64TX	EGB64TX	ESB64TX	EST64TX	EGT64TX
IB66TX	IGB66TX	IGT66TX	ISB66TX	IST66TX	EB66TX	EGB66TX	ESB66TX	EST66TX	EGT66TX
IB82TX	IGB82TX	IGT82TX	ISB82TX	IST82TX	EB82TX	EGB82TX	ESB82TX	EST82TX	EGT82TX
IB83TX	IGB83TX	IGT83TX	ISB83TX	IST83TX	EB83TX	EGB83TX	ESB83TX	EST83TX	EGT83TX
IB84TX	IGB84TX	IGT84TX	ISB84TX	IST84TX	EB84TX	EGB84TX	ESB84TX	EST84TX	EGT84TX
IB86TX	IGB86TX	IGT86TX	ISB86TX	IST86TX	EB86TX	EGB86TX	ESB86TX	EST86TX	EGT86TX
IB88TX	IGB88TX	IGT88TX	ISB88TX	IST88TX	EB88TX	EGB88TX	ESB88TX	EST88TX	EGT88TX
IB93TX	IGB93TX	IGT93TX	ISB93TX	IST93TX	EB93TX	EGB93TX	ESB93TX	EST93TX	EGT93TX
IB93TX	IGB93TX	IGT93TX	ISB93TX	IST93TX	EB93TX	EGB93TX	ESB93TX	EST93TX	EGT93TX
IB94TX	IGB94TX	IGT94TX	ISB94TX	IST94TX	EB94TX	EGB94TX	ESB94TX	EST94TX	EGT94TX
IB96TX	IGB96TX	IGT96TX	ISB96TX	IST96TX	EB96TX	EGB96TX	ESB96TX	EST96TX	EGT96TX
IB98TX	IGB98TX	IGT98TX	ISB98TX	IST98TX	EB98TX	EGB98TX	ESB98TX	EST98TX	EGT98TX
IB99TX	IGB99TX	IGT99TX	ISB99TX	IST99TX	EB99TX	EGB99TX	ESB99TX	EST99TX	EGT99TX
IB122TX	IGB122TX	IGT122TX	ISB122TX	IST122TX	EB122TX	EGB122TX	ESB122TX	EST122TX	EGT122TX
IB123TX	IGB123TX	IGT123TX	ISB123TX	IST123TX	EB123TX	EGB123TX	ESB123TX	EST123TX	EGT123TX
IB124TX	IGB124TX	IGT124TX	ISB124TX	IST124TX	EB124TX	EGB124TX	ESB124TX	EST124TX	EGT124TX
IB126TX	IGB126TX	IGT126TX	ISB126TX	IST126TX	EB126TX	EGB126TX	ESB126TX	EST126TX	EGT126TX
IB128TX	IGB128TX	IGT128TX	ISB128TX	IST128TX	EB128TX	EGB128TX	ESB128TX	EST128TX	EGT128TX
IB129TX	IGB129TX	IGT129TX	ISB129TX	IST129TX	EB129TX	EGB129TX	ESB129TX	EST129TX	EGT129TX
IB1212TX	IGB1212TX	IGT1212TX	ISB1212TX	IST1212TX	EB1212TX	EGB1212TX	ESB1212TX	EST1212TX	EGT1212TX

Fast Fix Range

Product Codes

Fast Fix										
External Ben 45° Fast Fix	Internal Bend 45° Fast Fix	Flat Bend 45° Fast Fix	Flat Gusset Bend Fast Fix	Flat Square Tee 90° Fast Fix	Flat Square Bend Fast Fix	External Square Bend 90° Fast Fix	Internal Gusset Bend 90° Fast Fix	External Square Bend 90° Fast Fix	External Gusset Tee 90° Fast Fix	External Square Tee 90° Fast Fee
EB22FF	IB22FF	FB22FF	FGB22FF	FST22FF	FSB22FF	EGB22FF	IGB22FF	ESB22FF	EGT22FF	EST22FF
EB32FF	IB32FF	FB32FF	FGB32FF	FST32FF	FSB32FF	EGB32FF	IGB32FF	ESB32FF	EGT32FF	EST32FF
EB33FF	IB33FF	FB33FF	FGB33FF	FST33FF	FSB33FF	EGB33FF	IGB33FF	ESB33FF	EGT33FF	EST33FF
EB42FF	IB42FF	FB42FF	FGB42FF	FST42FF	FSB42FF	EGB42FF	IGB42FF	ESB42FF	EGT42FF	EST42FF
EB43FF	IB43FF	FB43FF	FGB43FF	FST43FF	FSB43FF	EGB43FF	IGB43FF	ESB43FF	EGT43FF	EST43FF
EB44FF	IB44FF	FB44FF	FGB44FF	FST44FF	FSB44FF	EGB44FF	IGB44FF	ESB44FF	EGT44FF	EST44FF
EB62FF	IB62FF	FB62FF	FGB62FF	FST62FF	FSB62FF	EGB62FF	IGB62FF	ESB62FF	EGT62FF	EST62FF
EB63FF	IB63FF	FB63FF	FGB63FF	FST63FF	FSB63FF	EGB63FF	IGB63FF	ESB63FF	EGT63FF	EST63FF
EB64FF	IB64FF	FB64FF	FGB64FF	FST64FF	FSB64FF	EGB64FF	IGB64FF	ESB64FF	EGT64FF	EST64FF
EB66FF	IB66FF	FB66FF	FGB66FF	FST66FF	FSB66FF	EGB66FF	IGB66FF	ESB66FF	EGT66FF	EST66FF

Fast Fix					
Flat Gusset Tee 90° Fast Fix	Internal Gusset Tee 90° Fast Fix	Internal Square Tee 90° Fast Fix	Internal Square Bend 90° Fast Fix	Cross Over (Gusset) Fast Fix	Cross Over (Square) Fast Fix
FGT22FF	IGT22FF	IST22FF	ISB22FF	CO22FF	COSQ22FF
FGT32FF	IGT32FF	IST32FF	ISB32FF	CO32FF	COSQ32FF
FGT33FF	IGT33FF	IST33FF	ISB33FF	CO33FF	COSQ33FF
FGT42FF	IGT42FF	IST42FF	ISB42FF	CO42FF	COSQ42FF
FGT43FF	IGT43FF	IST43FF	ISB43FF	CO43FF	COSQ43FF
FGT44FF	IGT44FF	IST44FF	ISB44FF	CO44FF	COSQ44FF
FGT62FF	IGT62FF	IST62FF	ISB62FF	CO62FF	COSQ62FF
FGT63FF	IGT63FF	IST63FF	ISB63FF	CO63FF	COSQ63FF
FGT64FF	IGT64FF	IST64FF	ISB64FF	CO64FF	COSQ64FF
FGT66FF	IGT66FF	IST66FF	ISB66FF	CO66FF	COSQ66FF

For 2 Comp – Add 2C on the end of the part number
E.g. EB22FF2C

3 Comp starts at 42 series to 66
E.g. EB42FF3C

IP54

Product Codes

TR-IP54	END-CAP	CONNECTOR	FLANGE END
TR22-IP54	EC22-IP54	SS22-IP54	FE22-IP54
TR32-IP54	EC32-IP54	SS32-IP54	FE32-IP54
TR33-IP54	EC33-IP54	SS33-IP54	FE33-IP54
TR42-IP54	EC42-IP54	SS42-IP54	FE42-IP54
TR43-IP54	EC43-IP54	SS43-IP54	FE43-IP54
TR44-IP54	EC44-IP54	SS44-IP54	FE44-IP54
TR62-IP54	EC62-IP54	SS62-IP54	FE62-IP54
TR63-IP54	EC63-IP54	SS63-IP54	FE63-IP54
TR64-IP54	EC64-IP54	SS64-IP54	FE64-IP54
TR66-IP54	EC66-IP54	SS66-IP54	FE66-IP54
TR82-IP54	EC82-IP54	SS82-IP54	FE82-IP54
TR83-IP54	EC83-IP54	SS83-IP54	FE83-IP54
TR84-IP54	EC84-IP54	SS84-IP54	FE84-IP54
TR86-IP54	EC86-IP54	SS86-IP54	FE86-IP54
TR88-IP54	EC88-IP54	SS88-IP54	FE88-IP54
TR92-IP54	EC92-IP54	SS92-IP54	FE92-IP54
TR93-IP54	EC93-IP54	SS93-IP54	FE93-IP54
TR94-IP54	EC94-IP54	SS94-IP54	FE94-IP54
TR96-IP54	EC96-IP54	SS96-IP54	FE96-IP54
TR98-IP54	EC98-IP54	SS98-IP54	FE98-IP54
TR99-IP54	EC99-IP54	SS99-IP54	FE99-IP54
TR122-IP54	EC122-IP54	SS122-IP54	FE122-IP54
TR123-IP54	EC123-IP54	SS123-IP54	FE123-IP54
TR124-IP54	EC124-IP54	SS124-IP54	FE124-IP54
TR126-IP54	EC126-IP54	SS126-IP54	FE126-IP54
TR128-IP54	EC128-IP54	SS128-IP54	FE128-IP54
TR129-IP54	EC129-IP54	SS129-IP54	FE129-IP54
TR1212-IP54	EC1212-IP54	SS1212-IP54	FE1212-IP54

For 2 Comp - Add 2C after the size
E.g. TR332C-IP54

3 Comp starts at 42 series
E.g. TR423C-IP54

Product Codes

Internal Gusset Bend	IGB	EB	IB	FGT	FGB	FB	EGT	EGB
IGT22-IP54	IGB22-IP54	EB22-IP54	IB22-IP54	FGT22-IP54	FGB22-IP54	FB22-IP54	EGT22-IP54	EGB22-IP54
IGT32-IP54	IGB32-IP54	EB32-IP54	IB32-IP54	FGT32-IP54	FGB32-IP54	FB32-IP54	EGT32-IP54	EGB32-IP54
IGT33-IP54	IGB33-IP54	EB33-IP54	IB33-IP54	FGT33-IP54	FGB33-IP54	FB33-IP54	EGT33-IP54	EGB33-IP54
IGT42-IP54	IGB42-IP54	EB42-IP54	IB42-IP54	FGT42-IP54	FGB42-IP54	FB42-IP54	EGT42-IP54	EGB42-IP54
IGT43-IP54	IGB43-IP54	EB43-IP54	IB43-IP54	FGT43-IP54	FGB43-IP54	FB43-IP54	EGT43-IP54	EGB43-IP54
IGT44-IP54	IGB44-IP54	EB44-IP54	IB44-IP54	FGT44-IP54	FGB44-IP54	FB44-IP54	EGT44-IP54	EGB44-IP54
IGT62-IP54	IGB62-IP54	EB62-IP54	IB62-IP54	FGT62-IP54	FGB62-IP54	FB62-IP54	EGT62-IP54	EGB62-IP54
IGT63-IP54	IGB63-IP54	EB63-IP54	IB63-IP54	FGT63-IP54	FGB63-IP54	FB63-IP54	EGT63-IP54	EGB63-IP54
IGT64-IP54	IGB64-IP54	EB64-IP54	IB64-IP54	FGT64-IP54	FGB64-IP54	FB64-IP54	EGT64-IP54	EGB64-IP54
IGT66-IP54	IGB66-IP54	EB66-IP54	IB66-IP54	FGT66-IP54	FGB66-IP54	FB66-IP54	EGT66-IP54	EGB66-IP54
IGT82-IP54	IGB82-IP54	EB82-IP54	IB82-IP54	FGT82-IP54	FGB82-IP54	FB82-IP54	EGT82-IP54	EGB82-IP54
IGT83-IP54	IGB83-IP54	EB83-IP54	IB83-IP54	FGT83-IP54	FGB83-IP54	FB83-IP54	EGT83-IP54	EGB83-IP54
IGT84-IP54	IGB84-IP54	EB84-IP54	IB84-IP54	FGT84-IP54	FGB84-IP54	FB84-IP54	EGT84-IP54	EGB84-IP54
IGT86-IP54	IGB86-IP54	EB86-IP54	IB86-IP54	FGT86-IP54	FGB86-IP54	FB86-IP54	EGT86-IP54	EGB86-IP54
IGT88-IP54	IGB88-IP54	EB88-IP54	IB88-IP54	FGT88-IP54	FGB88-IP54	FB88-IP54	EGT88-IP54	EGB88-IP54
IGT92-IP54	IGB92-IP54	EB92-IP54	IB92-IP54	FGT92-IP54	FGB92-IP54	FB92-IP54	EGT92-IP54	EGB92-IP54
IGT93-IP54	IGB93-IP54	EB93-IP54	IB93-IP54	FGT93-IP54	FGB93-IP54	FB93-IP54	EGT93-IP54	EGB93-IP54
IGT94-IP54	IGB94-IP54	EB94-IP54	IB94-IP54	FGT94-IP54	FGB94-IP54	FB94-IP54	EGT94-IP54	EGB94-IP54
IGT96-IP54	IGB96-IP54	EB96-IP54	IB96-IP54	FGT96-IP54	FGB96-IP54	FB96-IP54	EGT96-IP54	EGB96-IP54
IGT98-IP54	IGB98-IP54	EB98-IP54	IB98-IP54	FGT98-IP54	FGB98-IP54	FB98-IP54	EGT98-IP54	EGB98-IP54
IGT99-IP54	IGB99-IP54	EB99-IP54	IB99-IP54	FGT99-IP54	FGB99-IP54	FB99-IP54	EGT99-IP54	EGB99-IP54
IGT122-IP54	IGB122-IP54	EB122-IP54	IB122-IP54	FGT122-IP54	FGB122-IP54	FB122-IP54	EGT122-IP54	EGB122-IP54
IGT123-IP54	IGB123-IP54	EB123-IP54	IB123-IP54	FGT123-IP54	FGB123-IP54	FB123-IP54	EGT123-IP54	EGB123-IP54
IGT124-IP54	IGB124-IP54	EB124-IP54	IB124-IP54	FGT124-IP54	FGB124-IP54	FB124-IP54	EGT124-IP54	EGB124-IP54
IGT126-IP54	IGB126-IP54	EB126-IP54	IB126-IP54	FGT126-IP54	FGB126-IP54	FB126-IP54	EGT126-IP54	EGB126-IP54
IGT128-IP54	IGB128-IP54	EB128-IP54	IB128-IP54	FGT128-IP54	FGB128-IP54	FB128-IP54	EGT128-IP54	EGB128-IP54
IGT129-IP54	IGB129-IP54	EB129-IP54	IB129-IP54	FGT129-IP54	FGB129-IP54	FB129-IP54	EGT129-IP54	EGB129-IP54
IGT1212-IP54	IGB1212-IP54	EB1212-IP54	IB1212-IP54	FGT1212-IP54	FGB1212-IP54	FB1212-IP54	EGT1212-IP54	EGB1212-IP54

Reducers

Product Codes

REDUCERS								
RED1212 22-129	RED129 22-129	RED128 22-126	RED126 22-124	RED124 22-123	RED123 22-122	RED122 22-99	RED99 22-98	RED98 22-96
RED121222	RED12922	RED12822	RED12622	RED12422	RED12322	RED12222	RED9922	RED9822
RED121232	RED12932	RED12832	RED12632	RED12432	RED12332	RED12232	RED9932	RED9832
RED121233	RED12933	RED12833	RED12633	RED12433	RED12333	RED12233	RED9933	RED9833
RED121242	RED12942	RED12842	RED12642	RED12442	RED12342	RED12242	RED9942	RED9842
RED121243	RED12943	RED12843	RED12643	RED12443	RED12343	RED12243	RED9943	RED9843
RED121244	RED12944	RED12844	RED12644	RED12444	RED12344	RED12244	RED9944	RED9844
RED121262	RED12962	RED12862	RED12662	RED12462	RED12362	RED12262	RED9962	RED9862
RED121263	RED12963	RED12863	RED12663	RED12463	RED12363	RED12263	RED9963	RED9863
RED121264	RED12964	RED12864	RED12664	RED12464	RED12364	RED12264	RED9964	RED9864
RED121266	RED12966	RED12866	RED12666	RED12466	RED12366	RED12266	RED9966	RED9866
RED121282	RED12982	RED12882	RED12682	RED12482	RED12382	RED12282	RED9982	RED9882
RED121283	RED12983	RED12883	RED12683	RED12483	RED12383	RED12283	RED9983	RED9883
RED121284	RED12984	RED12884	RED12684	RED12484	RED12384	RED12284	RED9984	RED9884
RED121286	RED12986	RED12886	RED12686	RED12486	RED12386	RED12286	RED9986	RED9886
RED121288	RED12988	RED12888	RED12688	RED12488	RED12388	RED12288	RED9988	RED9888
RED121292	RED12992	RED12892	RED12692	RED12492	RED12392	RED12292	RED9992	RED9892
RED121293	RED12993	RED12893	RED12693	RED12493	RED12393	RED12293	RED9993	RED9893
RED121294	RED12994	RED12894	RED12694	RED12494	RED12394	RED12294	RED9994	RED9894
RED121296	RED12996	RED12896	RED12696	RED12496	RED12396	RED12296	RED9996	RED9896
RED121298	RED12998	RED12898	RED12698	RED12498	RED12398	RED12298	RED9998	
RED121299	RED12999	RED12899	RED12699	RED12499	RED12399	RED12299		
RED1212122	RED129122	RED128122	RED126122	RED124122	RED123122			
RED1212123	RED129123	RED128123	RED126123	RED124123				
RED1212124	RED129124	RED128124	RED126124					
RED1212126	RED129126	RED128126						
RED1212128	RED129128							
RED1212129								

Product Codes

Reducers									
RED96 22-94	RED94 22-93	RED93 22-92	RED92 22-88	RED88 22-86	RED86 22-84	RED84 22-83	RED83 22-82	RED82 22-66	RED66 22-64
RED9622	RED9422	RED9322	RED9222	RED8822	RED8622	RED8422	RED8322	RED8222	RED6622
RED9632	RED9432	RED9332	RED9232	RED8832	RED8632	RED8432	RED8332	RED8232	RED6632
RED9633	RED9433	RED9333	RED9233	RED8833	RED8633	RED8433	RED8333	RED8233	RED6633
RED9642	RED9442	RED9342	RED9242	RED8842	RED8642	RED8442	RED8342	RED8242	RED6642
RED9643	RED9443	RED9343	RED9243	RED8843	RED8643	RED8443	RED8343	RED8243	RED6643
RED9644	RED9444	RED9344	RED9244	RED8844	RED8644	RED8444	RED8344	RED8244	RED6644
RED9662	RED9462	RED9362	RED9262	RED8862	RED8662	RED8462	RED8362	RED8262	RED6662
RED9663	RED9463	RED9363	RED9263	RED8863	RED8663	RED8463	RED8363	RED8263	RED6663
RED9664	RED9464	RED9364	RED9264	RED8864	RED8664	RED8464	RED8364	RED8264	RED6664
RED9666	RED9466	RED9366	RED9266	RED8866	RED8666	RED8466	RED8366	RED8266	
RED9682	RED9482	RED9382	RED9282	RED8882	RED8682	RED8482	RED8382		
RED9683	RED9483	RED9383	RED9283	RED8883	RED8683	RED8483			
RED9684	RED9484	RED9384	RED9284	RED8884	RED8684				
RED9686	RED9486	RED9386	RED9286	RED8886					
RED9688	RED9488	RED9388	RED9288						
RED9692	RED9492	RED9392							
RED9693	RED9493								
RED9694									

Reducers

Product Codes

Reducers							
RED64 22-63	RED63 22-62	RED62 22-44	RED44 22-43	RED43 22-42	RED42 22-33	RED33 22-32	RED32
RED6422	RED6322	RED6222	RED4422	RED4322	RED4222	RED3322	RED3222
RED6432	RED6332	RED6232	RED4432	RED4332	RED4232	RED3332	
RED6433	RED6333	RED6233	RED4433	RED4333	RED4233		
RED6442	RED6342	RED6242	RED4442	RED4342			
RED6443	RED6343	RED6243	RED4443				
RED6444	RED6344	RED6244					
RED6462	RED6362						
RED6463							

Surface Trunking Accessories

Product Codes

HANGERS (UNIVERSAL)	ENDCAP FOR CAMLOCK	ENDCAP FOR TX	CONNECTORS FOR CAMLOCK	CONNECTORS FOR TX	FLANGE END FOR CAM- LOCK	FLANGE END FOR TX	FACE ADAPTOR FOR CAMLOCK	FACE ADAPTOR FOR TX	PIN RACK (UNIVERSAL)
HC22	EC22	EC22TX	SS22	SS22TX	FE22	FE22TX	FA22	FA22TX	VT22
HC32	EC32	EC32TX	SS32	SS32TX	FE32	FE32TX	FA32	FA32TX	VT32
HC33	EC33	EC33TX	SS33	SS33TX	FE33	FE33TX	FA33	FA33TX	VT33
HC42	EC42	EC42TX	SS42	SS42TX	FE42	FE42TX	FA42	FA42TX	VT42
HC43	EC43	EC43TX	SS43	SS43TX	FE43	FE43TX	FA43	FA43TX	VT43
HC44	EC44	EC44TX	SS44	SS44TX	FE44	FE44TX	FA44	FA44TX	VT44
HC62	EC62	EC62TX	SS62	SS62TX	FE62	FE62TX	FA62	FA62TX	VT62
HC63	EC63	EC63TX	SS63	SS63TX	FE63	FE63TX	FA63	FA63TX	VT63
HC64	EC64	EC64TX	SS64	SS64TX	FE64	FE64TX	FA64	FA64TX	VT64
HC66	EC66	EC66TX	SS66	SS66TX	FE66	FE66TX	FA66	FA66TX	VT66
HC82	EC82	EC82TX	SS82	SS82TX	FE82	FE82TX	FA82	FA82TX	VT82
HC83	EC83	EC83TX	SS83	SS83TX	FE83	FE83TX	FA83	FA83TX	VT83
HC84	EC84	EC84TX	SS84	SS84TX	FE84	FE84TX	FA84	FA84TX	VT84
HC86	EC86	EC86TX	SS86	SS86TX	FE86	FE86TX	FA86	FA86TX	VT86
HC88	EC88	EC88TX	SS88	SS88TX	FE88	FE88TX	FA88	FA88TX	VT88
HC92	EC92	EC92TX	SS92	SS92TX	FE92	FE92TX	FA92	FA92TX	VT92
HC93	EC93	EC93TX	SS93	SS93TX	FE93	FE93TX	FA93	FA93TX	VT93
HC94	EC94	EC94TX	SS94	SS94TX	FE94	FE94TX	FA94	FA94TX	VT94
HC96	EC96	EC96TX	SS96	SS96TX	FE96	FE96TX	FA96	FA96TX	VT96
HC98	EC98	EC98TX	SS98	SS98TX	FE98	FE98TX	FA98	FA98TX	VT98
HC99	EC99	EC99TX	SS99	SS99TX	FE99	FE99TX	FA99	FA99TX	VT99
HC122	EC122	EC122TX	SS122	SS122TX	FE122	FE122TX	FA122	FA122TX	VT122
HC123	EC123	EC123TX	SS123	SS123TX	FE123	FE123TX	FA123	FA123TX	VT123
HC124	EC124	EC124TX	SS124	SS124TX	FE124	FE124TX	FA124	FA124TX	VT124
HC126	EC126	EC126TX	SS126	SS126TX	FE126	FE126TX	FA126	FA126TX	VT126
HC128	EC128	EC128TX	SS128	SS128TX	FE128	FE128TX	FA128	FA128TX	VT128
HC129	EC129	EC129TX	SS129	SS129TX	FE129	FE129TX	FA129	FA129TX	VT129
HC1212	EC1212	EC1212TX	SS1212	SS1212TX	FE1212	FE1212TX	FA1212	FA1212TX	VT1212

D1 – Flush Floor Shallow Screed

Product Codes

	Flat Bend 45°	Flat Square Bend	Flat Square Tee	Internal Square Bend 90°	Internal Square Bend Back Entry Riser
TRUNKING	FB	FSB	FST	ISB	BE
D1/121/2C	D1/121/2C-FB	D1/121/2C-FSB	D1/121/2C-FST	D1/121/2C-ISB	D1/121/2C-BE
D1/121/3C	D1/121/3C-FB	D1/121/3C-FSB	D1/121/3C-FST	D1/121/3C-ISB	D1/121/3C-BE
D1/1215/2C	D1/1215/2C-FB	D1/1215/2C-FSB	D1/1215/2C-FST	D1/1215/2C-ISB	D1/1215/2C-BE
D1/1215/3C	D1/1215/3C-FB	D1/1215/3C-FSB	D1/1215/3C-FST	D1/1215/3C-ISB	D1/1215/3C-BE
D1/122/2C	D1/122/2C-FB	D1/122/2C-FSB	D1/122/2C-FST	D1/122/2C-ISB	D1/122/2C-BE
D1/122/3C	D1/122/3C-FB	D1/122/3C-FSB	D1/122/3C-FST	D1/122/3C-ISB	D1/122/3C-BE
D1/61/2C	D1/61/2C-FB	D1/61/2C-FSB	D1/61/2C-FST	D1/61/2C-ISB	D1/61/2C-BE
D1/61/3C	D1/61/3C-FB	D1/61/3C-FSB	D1/61/3C-FST	D1/61/3C-ISB	D1/61/3C-BE
D1/615/2C	D1/615/2C-FB	D1/615/2C-FSB	D1/615/2C-FST	D1/615/2C-ISB	D1/615/2C-BE
D1/615/3C	D1/615/3C-FB	D1/615/3C-FSB	D1/615/3C-FST	D1/615/3C-ISB	D1/615/3C-BE
D1/62/2C	D1/62/2C-FB	D1/62/2C-FSB	D1/62/2C-FST	D1/62/2C-ISB	D1/62/2C-BE
D1/62/3C	D1/62/3C-FB	D1/62/3C-FSB	D1/62/3C-FST	D1/62/3C-ISB	D1/62/3C-BE
D1/91/2C	D1/91/2C-FB	D1/91/2C-FSB	D1/91/2C-FST	D1/91/2C-ISB	D1/91/2C-BE
D1/91/3C	D1/91/3C-FB	D1/91/3C-FSB	D1/91/3C-FST	D1/91/3C-ISB	D1/91/3C-BE
D1/915/2C	D1/915/2C-FB	D1/915/2C-FSB	D1/915/2C-FST	D1/915/2C-ISB	D1/915/2C-BE
D1/915/3C	D1/915/3C-FB	D1/915/3C-FSB	D1/915/3C-FST	D1/915/3C-ISB	D1/915/3C-BE
D1/92/2C	D1/92/2C-FB	D1/92/2C-FSB	D1/92/2C-FST	D1/92/2C-ISB	D1/92/2C-BE
D1/92/3C	D1/92/3C-FB	D1/92/3C-FSB	D1/92/3C-FST	D1/92/3C-ISB	D1/92/3C-BE

D1 Service Boxes/Junction Boxes

Product Codes

Service Boxes	Junction Boxes	Junction Boxes	Key for Junction Box	
D1/121SB-3/2	D1/121/2C-ASL	D1/91/3C-ASL	ASL	90° Angle Junction Box
D1/121SB-3/3	D1/121/2C-AST	D1/91/3C-AST	ASX	Crossover Junction Box
D1/121SB-4/2	D1/121/2C-ASX	D1/91/3C-ASX	AST	Tee Junction Box
D1/1215SB-3/2	D1/121/3C-ASL	D1/915/2C-ASL	Key for Service Box	
D1/1215SB-3/3	D1/121/3C-AST	D1/915/2C-AST	Example: D1/SB62-3/2	
D1/1215SB-4/2	D1/121/3C-ASX	D1/915/2C-ASX	D1	Product Type
D1/122SB-3/2	D1/1215/2C-ASL	D1/915/3C-ASL	SB62	Service Box Size
D1/122SB-3/3	D1/1215/2C-AST	D1/915/3C-AST	3	3 Compartment Service Box
D1/122SB-4/2	D1/1215/2C-ASX	D1/915/3C-ASX	2	2 Compartment Trunking
D1/61SB-3/2	D1/1215/3C-ASL	D1/92/2C-ASL		
D1/61SB-3/3	D1/1215/3C-AST	D1/92/2C-AST		
D1/61SB-4/2	D1/1215/3C-ASX	D1/92/2C-ASX		
D1/615SB-3/2	D1/122/2C-ASL	D1/92/3C-ASL		
D1/615SB-3/3	D1/122/2C-AST	D1/92/3C-AST		
D1/615SB-4/2	D1/122/2C-ASX	D1/92/3C-ASX		
D1/62SB-3/2	D1/61/2C-ASL			
D1/62SB-3/3	D1/61/2C-AST			
D1/62SB-4/2	D1/61/2C-ASX			
D1/91SB-3/2	D1/61/3C-ASL			
D1/91SB-3/3	D1/61/3C-AST			
D1/91SB-4/2	D1/61/3C-ASX			
D1/915SB-3/2	D1/615/2C-ASL			
D1/915SB-3/3	D1/615/2C-AST			
D1/915SB-4/2	D1/615/2C-ASX			
D1/92SB-3/2	D1/91/2C-ASL			
D1/92SB-3/3	D1/91/2C-AST			
D1/92SB-4/2	D1/91/2C-ASX			

D2 - Flush Floor Shallow Screed

Product Codes

	Flat Bend 45°	Flat Square Bend 90°	Flat Square Tee 90°	Internal Square Bend 90°	Internal Square Bend Back Entry Riser
TRUNKING	FB	FSB	FST	ISB	BE
D2/121/2C	D2/121/2C-FB	D2/121/2C-FSB	D2/121/2C-FST	D2/121/2C-ISB	D2/121/2C-BE
D2/121/3C	D2/121/3C-FB	D2/121/3C-FSB	D2/121/3C-FST	D2/121/3C-ISB	D2/121/3C-BE
D2/1215/2C	D2/1215/2C-FB	D2/1215/2C-FSB	D2/1215/2C-FST	D2/1215/2C-ISB	D2/1215/2C-BE
D2/1215/3C	D2/1215/3C-FB	D2/1215/3C-FSB	D2/1215/3C-FST	D2/1215/3C-ISB	D2/1215/3C-BE
D2/122/2C	D2/122/2C-FB	D2/122/2C-FSB	D2/122/2C-FST	D2/122/2C-ISB	D2/122/2C-BE
D2/122/3C	D2/122/3C-FB	D2/122/3C-FSB	D2/122/3C-FST	D2/122/3C-ISB	D2/122/3C-BE
D2/61/2C	D2/61/2C-FB	D2/61/2C-FSB	D2/61/2C-FST	D2/61/2C-ISB	D2/61/2C-BE
D2/61/3C	D2/61/3C-FB	D2/61/3C-FSB	D2/61/3C-FST	D2/61/3C-ISB	D2/61/3C-BE
D2/615/2C	D2/615/2C-FB	D2/615/2C-FSB	D2/615/2C-FST	D2/615/2C-ISB	D2/615/2C-BE
D2/615/3C	D2/615/3C-FB	D2/615/3C-FSB	D2/615/3C-FST	D2/615/3C-ISB	D2/615/3C-BE
D2/62/2C	D2/62/2C-FB	D2/62/2C-FSB	D2/62/2C-FST	D2/62/2C-ISB	D2/62/2C-BE
D2/62/3C	D2/62/3C-FB	D2/62/3C-FSB	D2/62/3C-FST	D2/62/3C-ISB	D2/62/3C-BE
D2/91/2C	D2/91/2C-FB	D2/91/2C-FSB	D1/91/2C-FST	D2/91/2C-ISB	D2/91/2C-BE
D2/91/3C	D2/91/3C-FB	D2/91/3C-FSB	D2/91/3C-FST	D2/91/3C-ISB	D2/91/3C-BE
D2/915/2C	D2/915/2C-FB	D2/915/2C-FSB	D2/915/2C-FST	D2/915/2C-ISB	D2/915/2C-BE
D2/915/3C	D2/915/3C-FB	D2/915/3C-FSB	D2/915/3C-FST	D2/915/3C-ISB	D2/915/3C-BE
D2/92/2C	D2/92/2C-FB	D2/92/2C-FSB	D2/92/2C-FST	D2/92/2C-ISB	D2/92/2C-BE
D2/92/3C	D2/92/3C-FB	D2/92/3C-FSB	D2/92/3C-FST	D2/92/3C-ISB	D2/92/3C-BE

D2 Service Boxes/Junction Boxes

Product Codes

Service Boxes	Junction Boxes	Key for Junction Box	
D2/121SB-3/2	D2/121/2C-ASL	ASL	90° Angle Junction Box
D2/121SB-3/3	D2/121/2C-AST	ASX	Crossover Junction Box
D2/121SB-4/2	D2/121/2C-ASX	AST	Tee Junction Box
D2/1215SB-3/2	D2/121/3C-ASL	Key for Service Box	
D2/1215SB-3/3	D2/121/3C-AST	Example: D2/SB62-3/2	
D2/1215SB-4/2	D2/121/3C-ASX	D2	Product Type
D2/122SB-3/2	D2/1215/2C-ASL	SB62	Service Box Size
D2/122SB-3/3	D2/1215/2C-AST	3	3 Compartment Service Box
D2/122SB-4/2	D2/1215/2C-ASX	2	2 Compartment Trunking
D2/61SB-3/2	D2/1215/3C-ASL		
D2/61SB-3/3	D2/1215/3C-AST		
D2/61SB-4/2	D2/1215/3C-ASX		
D2/615SB-3/2	D2/122/2C-ASL		
D2/615SB-3/3	D2/122/2C-AST		
D2/615SB-4/2	D2/122/2C-ASX		
D2/62SB-3/2	D2/61/2C-ASL		
D2/62SB-3/3	D2/61/2C-AST		
D2/62SB-4/2	D2/61/2C-ASX		
D2/91SB-3/2	D2/61/3C-ASL		
D2/91SB-3/3	D2/61/3C-AST		
D2/91SB-4/2	D2/61/3C-ASX		
D2/915SB-3/2	D2/615/2C-ASL		
D2/915SB-3/3	D2/615/2C-AST		
D2/915SB-4/2	D2/615/2C-ASX		
D2/92SB-3/2	D2/91/2C-ASL		
D2/92SB-3/3	D2/91/2C-AST		
D2/92SB-4/2	D2/91/2C-ASX		
	D2/91/3C-ASL		

D6 - Flush Floor Trunking

Product Codes

Part Code	Description
D6/C/15	235X65 F/F TRUNKING 2M 2COMP
D6/C/15/ASL	235X65 2C ANGLE 90° JUNC-BOX
D6/C/15/AST	235X65 2C TEE JUNC-BOX
D6/C/15/ASX	235X65 2C CROSSOVER JUNC-BOX
D6/C/15/EC	235X65 F/F TR END CAP
D6/C/15/FB	235X65 F/F FLAT 45°BEND 2C
D6/C/15/FSB	235X65 F/F FLAT SQ 90°BEND 2C
D6/C/15/ISB	235X65 F/F ISB RISER BEND 2C
D6/C/15/ISB/BE	235X65 F/F BE RISER BEND 2C
D6/C/15/JBEC	D6/C/15 JUNC-BOX ENDCAP PG
D6/C/15/SB	235X65 F/F 2C SERV-BOX
D6/C/16	330X65 F/F TRUNKING 2M 3COMP
D6/C/16/ASL	330X65 3C ANGLE 90° JUNC-BOX
D6/C/16/AST	330X65 3C TEE JUNC-BOX
D6/C/16/ASX	330X65 3C CROSSOVER JUNC-BOX
D6/C/16/EC	330X65 F/F TR END CAP
D6/C/16/FB	330X65 F/F FLAT 45°BEND 3C
D6/C/16/FSB	330X65 F/F FLAT SQ 90°BEND 3C
D6/C/16/ISB	330X65 F/F ISB RISER BEND 3C
D6/C/16/ISB/BE	330X65 F/F BE RISER BEND 3C
D6/C/16/JBEC	D6/C/16 JUNC-BOX ENDCAP PG
D6/C/16/SB	330X65 F/F 3C SERV-BOX
D6/CONN	D6 F/F CONNECTOR (PAIR)+SCREWS

Key for Junction Box	
ASL	90° Angle Junction Box
ASX	Crossover Junction Box
AST	Tee Junction Box

Underfloor Trunking

Product Codes

Product Code	Description
E2/121	300X25 UNDERFLOOR TRUNKING 2M 2C PG
E2/1215	300X38 UNDERFLOOR TRUNKING 2M 2C PG
E2/122	300X50 UNDERFLOOR TRUNKING 2M 2C PG
E2/61	150X25 UNDERFLOOR TRUNKING 2M 2C PG
E2/615	150X38 UNDERFLOOR TRUNKING 2M 2C PG
E2/62	150X50 UNDERFLOOR TRUNKING 2M 2C PG
E2/91	225X25 UNDERFLOOR TRUNKING 2M 2C PG
E2/915	225X38 UNDERFLOOR TRUNKING 2M 2C PG
E2/92	225X50 UNDERFLOOR TRUNKING 2M 2C PG
E3/121	300X25 UNDERFLOOR TRUNKING 2M 3C PG
E3/1215	300X38 UNDERFLOOR TRUNKING 2M 3C PG
E3/122	300X50 UNDERFLOOR TRUNKING 2M 3C PG
E3/61	150X25 UNDERFLOOR TRUNKING 2M 3C PG
E3/615	150X38 UNDERFLOOR TRUNKING 2M 3C PG
E3/62	150X50 UNDERFLOOR TRUNKING 2M 3C PG
E3/91	225X25 UNDERFLOOR TRUNKING 2M 3C PG
E3/915	225X38 UNDERFLOOR TRUNKING 2M 3C PG
E3/92	225X50 UNDERFLOOR TRUNKING 2M 3C PG

Underfloor Flat Bends 45°/90°

Product Codes

FLAT BEND 45° DEGREE		FLAT BEND 90° DEGREE	
Product Code	Description	Product Code	Description
UF/121/2C/FB	300X25 UNDERFLOOR 45° F/B 2C	UF/121/2C/FSB	300X25 UNDERFLOOR 90° F/B 2C
UF/1215/2C/FB	300X38 UNDERFLOOR 45° F/B 2C	UF/1215/2C/FSB	300X38 UNDERFLOOR 90° F/B 2C
UF/122/2C/FB	300X50 UNDERFLOOR 45° F/B 2C	UF/122/2C/FSB	300X50 UNDERFLOOR 90° F/B 2C
UF/61/2C/FB	150X25 UNDERFLOOR 45° F/B 2C	UF/61/2C/FSB	150X25 UNDERFLOOR 90° F/B 2C
UF/615/2C/FB	150X38 UNDERFLOOR 45° F/B 2C	UF/615/2C/FSB	150X38 UNDERFLOOR 90° F/B 2C
UF/62/2C/FB	150X50 UNDERFLOOR 45° F/B 2C	UF/62/2C/FSB	150X50 UNDERFLOOR 90° F/B 2C
UF/91/2C/FB	225X25 UNDERFLOOR 45° F/B 2C	UF/91/2C/FSB	225X25 UNDERFLOOR 90° F/B 2C
UF/915/2C/FB	225X38 UNDERFLOOR 45° F/B 2C	UF/915/2C/FSB	225X38 UNDERFLOOR 90° F/B 2C
UF/92/2C/FB	225X50 UNDERFLOOR 45° F/B 2C	UF/92/2C/FSB	225X50 UNDERFLOOR 90° F/B 2C
UF/121/3C/FB	300X25 UNDERFLOOR 45° F/B 3C	UF/121/3C/FSB	300X25 UNDERFLOOR 90° F/B 3C
UF/1215/3C/FB	300X38 UNDERFLOOR 45° F/B 3C	UF/1215/3C/FSB	300X38 UNDERFLOOR 90° F/B 3C
UF/122/3C/FB	300X50 UNDERFLOOR 45° F/B 3C	UF/122/3C/FSB	300X50 UNDERFLOOR 90° F/B 3C
UF/61/3C/FB	150X25 UNDERFLOOR 45° F/B 3C	UF/61/3C/FSB	150X25 UNDERFLOOR 90° F/B 3C
UF/615/3C/FB	150X38 UNDERFLOOR 45° F/B 3C	UF/615/3C/FSB	150X38 UNDERFLOOR 90° F/B 3C
UF/62/3C/FB	150X50 UNDERFLOOR 45° F/B 3C	UF/62/3C/FSB	150X50 UNDERFLOOR 90° F/B 3C
UF/91/3C/FB	225X25 UNDERFLOOR 45° F/B 3C	UF/91/3C/FSB	225X25 UNDERFLOOR 90° F/B 3C
UF/915/3C/FB	225X38 UNDERFLOOR 45° F/B 3C	UF/915/3C/FSB	225X38 UNDERFLOOR 90° F/B 3C
UF/92/3C/FB	225X50 UNDERFLOOR 45° F/B 3C	UF/92/3C/FSB	225X50 UNDERFLOOR 90° F/B 3C

Underfloor Trunking Accessories

Product Codes

INT. SQ BEND 90 DEG	
Item	Description
UF/121/2C/ISB	300X25 UNDERFLOOR 90° INTERNAL BEND 2C
UF/1215/2C/ISB	300X38 UNDERFLOOR 90° INTERNAL BEND 2C
UF/122/2C/ISB	300X50 UNDERFLOOR 90° INTERNAL BEND 2C
UF/61/2C/ISB	150X25 UNDERFLOOR 90° INTERNAL BEND 2C
UF/615/2C/ISB	150X38 UNDERFLOOR 90° INTERNAL BEND 2C
UF/62/2C/ISB	150X50 UNDERFLOOR 90° INTERNAL BEND 2C
UF/91/2C/ISB	225X25 UNDERFLOOR 90° INTERNAL BEND 2C
UF/915/2C/ISB	225X38 UNDERFLOOR 90° INTERNAL BEND 2C
UF/92/2C/ISB	225X50 UNDERFLOOR 90° INTERNAL BEND 2C
UF/121/3C/ISB	300X25 UNDERFLOOR 90° INTERNAL BEND 3C
UF/1215/3C/ISB	300X38 UNDERFLOOR 90° INTERNAL BEND 3C
UF/122/3C/ISB	300X50 UNDERFLOOR 90° INTERNAL BEND 3C
UF/61/3C/ISB	150X25 UNDERFLOOR 90° INTERNAL BEND 3C
UF/615/3C/ISB	150X38 UNDERFLOOR 90° INTERNAL BEND 3C
UF/62/3C/ISB	150X50 UNDERFLOOR 90° INTERNAL BEND 3C
UF/91/3C/ISB	225X25 UNDERFLOOR 90° INTERNAL BEND 3C
UF/915/3C/ISB	225X38 UNDERFLOOR 90° INTERNAL BEND 3C
UF/92/3C/ISB	225X50 UNDERFLOOR 90° INTERNAL BEND 3C

Underfloor Trunking End Cap/Connector

Product Codes

END CAP	
Product Code	Description
UF/121-EC	UNDERFLOOR 12X1" END CAP
UF/1215-EC	UNDERFLOOR 12X1.5" END CAP
UF/122-EC	UNDERFLOOR 12X2" END CAP
UF/61-EC	UNDERFLOOR 6X1" END CAP
UF/615-EC	UNDERFLOOR 6X1.5" END CAP
UF/62-EC	UNDERFLOOR 6X2" END CAP
UF/91-EC	UNDERFLOOR 9X1" END CAP
UF/915-EC	UNDERFLOOR 9X1.5" END CAP
UF/92-EC	UNDERFLOOR 9X2" END CAP

CONNECTOR	
Product Code	Description
UF/121-CONN	UNDERFLOOR 12X1" CONNECTOR ASSY
UF/1215-CONN	UNDERFLOOR 12X1.5" CONNECTOR ASSY
UF/122-CONN	UNDERFLOOR 12X2" CONNECTOR ASSY
UF/61-CONN	UNDERFLOOR 6X1" CONNECTOR ASSY
UF/615-CONN	UNDERFLOOR 6X1.5" CONNECTOR ASSY
UF/62-CONN	UNDERFLOOR 6X2" CONNECTOR ASSY
UF/91-CONN	UNDERFLOOR 9X1" CONNECTOR ASSY
UF/915-CONN	UNDERFLOOR 9X1.5" CONNECTOR ASSY
UF/92-CONN	UNDERFLOOR 9X2" CONNECTOR ASSY

Underfloor Trunking Back Entry

Product Codes

BACK ENTRY	
Product Code	Description
UF/121/3C/BE	300X25 UNDERFLOOR ISB-BE 3C
UF/1215/2C/BE	300X38 UNDERFLOOR ISB-BE 2C
UF/1215/3C/BE	300X38 UNDERFLOOR ISB-BE 3C
UF/122/2C/BE	300X50 UNDERFLOOR ISB-BE 2C
UF/122/3C/BE	300X50 UNDERFLOOR ISB-BE 3C
UF/61/2C/BE	150X25 UNDERFLOOR ISB-BE 2C
UF/61/3C/BE	150X25 UNDERFLOOR ISB-BE 3C
UF/615/2C/BE	150X38 UNDERFLOOR ISB-BE 2C
UF/615/3C/BE	150X38 UNDERFLOOR ISB-BE 3C
UF/62/2C/BE	150X50 UNDERFLOOR ISB-BE 2C
UF/62/3C/BE	150X50 UNDERFLOOR ISB-BE 3C
UF/91/2C/BE	225X25 UNDERFLOOR ISB-BE 2C
UF/91/3C/BE	225X25 UNDERFLOOR ISB-BE 3C
UF/915/2C/BE	225X38 UNDERFLOOR ISB-BE 2C
UF/915/3C/BE	225X38 UNDERFLOOR ISB-BE 3C
UF/92/2C/BE	225X50 UNDERFLOOR ISB-BE 2C
UF/92/3C/BE	225X50 UNDERFLOOR ISB-BE 3C

Bench Trunking

Product Codes

Product Code	Description
R35	BENCH TRUNKING 2M PG
R35/CONN	BENCH TRUNKING CONNECTOR PG
R35/EC	BENCH TRUNKING END CAP PG
R35/ESB	BENCH TR. EXT 90° BEND PG
R35/ISB	BENCH TR. INT 90° BEND PG
R35/LC	R35 BENCH LIDCOV/STRAP ASSY PG
R35/SSO	BENCH TR. SINGLE SKT PLATE PG
R35/TRBODY	BENCH TRUNKING BODY 2M PG
R35/TRLID	BENCH TRUNKING LID 2M PG
R35/TSO	BENCH TR. TWIN SKT PLATE PG

Lighting Trunking

Product Codes

Product Code	Description
FLT/CO	LT CROSSOVER PG
FLT/CO/W	LT CROSSOVER WHITE
FLT/CON	LT CONNECTOR PG
FLT/CS	LT CABLE RETAINER PG
FLT/EB	LT 45° EXTERNAL BEND PG
FLT/EB/W	LT 45° EXTERNAL BEND WHITE
FLT/EC	LT ENDCAP PG
FLT/EC/W	LT ENDCAP WHITE
FLT/ESB	LT 90° SQ EXTERNAL BEND PG
FLT/ESB/W	LT 90° SQ EXTERNAL BEND WHITE
FLT/EST	LT 90° SQ EXTERNAL TEE PG
FLT/EST/W	LT 90° SQ EXTERNAL TEE WHITE
FLT/FB	LT 45° FLAT BEND PG
FLT/FB/W	LT 45° FLAT BEND WHITE
FLT/FE	LT FLANGE END PG
FLT/FE/W	LT FLANGE END WHITE
FLT/FSB	LT 90° SQ FLAT BEND PG
FLT/FSB/W	LT 90° SQ FLAT BEND WHITE
FLT/FST	LT 90° SQ FLAT TEE PG
FLT/FST/W	LT 90° SQ FLAT TEE WHITE
FLT/GC	LT GIRDER CLAMP
FLT/GC/W	LT GIRDER CLAMP WHITE
FLT/HC	LT HANGER (10MM HOLE) PG

Product Code	Description
FLT/HC/W	LT HANGER (10MM HOLE) WHITE
FLT/IB	LT 45° INTERNAL BEND PG
FLT/IB/W	LT 45° INTERNAL BEND WHITE
FLT/ISB	LT 90° SQ INTERNAL BEND PG
FLT/ISB/W	LT 90° SQ INTERNAL BEND WHITE
FLT/IST	LT 90° SQ INTERNAL TEE PG
FLT/IST/W	LT 90° SQ INTERNAL TEE WHITE
FLT/SK	LT FITTING SUSPENSION KIT
FLT22/3	50X50 LIGHTING TRUNKING 3M PG

Square Dado - SD Range

Product Codes

Product Code	Description	Product Code	Description
SD62/EC	SD62 SQ TOP DADO END CAP PG	SD62/3C/SSO	SD 6X2 DADO SSO 3C PLATE G
SD62/LC	SD 6X2 LID COVER STRAP ASSY PG	SD62/3C/TSO	SD 6X2 DADO TSO 3C PLATE G
SD62/2C	SD 6X2 2M 2C TRUNKING PG	SD82/EC	SD82 SQ TOP DADO END CAP PG
SD62/2C/EB	SD 150X50 45° EXT/BEND 2C PG	SD82/LC	SD 8X2 LID COVER STRAP ASSY PG
SD62/2C/ESB	SD 150X50 90° EXT/BEND 2C PG	SD82/2C	SD 8X2 2M 2C TRUNKING PG
SD62/2C/FB/D	SD 150X50 45° F/BEND 2C DOWN PG	SD82/2C/ESB	SD 200X50 90° EXT/BEND 2C PG
SD62/2C/FB/U	SD 150X50 45° F/BEND 2C UP PG	SD82/2C/FB	SD 200X50 45° F/BEND 2C PG
SD62/2C/FSB/D	SD 6X2 90° F/B 2C DOWN PG	SD82/2C/FSB	SD 8X2 90° F/B 2C UP PG
SD62/2C/FSB/U	SD 6X2 90° F/B 2C UP PG	SD82/2C/FST	SD 8X2 2C FLAT TEE PG
SD62/2C/FSTLD	SD 6X2 2C F/TEE LH DOWN PG	SD82/2C/IB	SD 200X50 45° INT/BEND 2C PG
SD62/2C/FSTLU	SD 6X2 2C F/TEE LH UP PG	SD82/2C/ISB	SD 8X2 INT 90° BEND 2C PG
SD62/2C/FSTRD	SD 6X2 2C F/TEE RH DOWN PG	SD82/3C	SD 8X2 2M 3C TRUNKING PG
SD62/2C/FSTRU	SD 6X2 2C F/TEE RH UP PG	SD82/3C/EB	SD 200X50 45° EXT/BEND 3C PG
SD62/2C/IB	SD 150X50 45° INT/BEND 2C PG	SD82/3C/ESB	SD 8X2 EXT 90° BEND 3C PG
SD62/2C/ISB	SD 150X50 90° INT/BEND 2C PG	SD82/3C/FB	SD 200X50 45° F/BEND 3C PG
SD62/2C/SSO	SD 6X2 SSO 2C PLATE PG	SD82/3C/FSB	SD 8X2 90° F/B 3C UP PG
SD62/2C/TSO	SD 6X2 DADO TSO 2C PLATE PG	SD82/3C/FST	SD 8X2 3C FLAT TEE PG
SD62/3C	SD 6X2 2M 3C TRUNKING PG	SD82/3C/IB	SD 200X50 45° INT/BEND 3C PG
SD62/3C/EB	SD 150X50 45° EXT/BEND 3C PG	SD82/3C/ISB	SD 8X2 INT 90° BEND 3C PG
SD62/3C/ESB	SD 6X2 EXT 90° BEND 3C PG	SD82/3C/SSO	SD 8X2 DADO SSO 3C PLATE PG
SD62/3C/FB	SD 150X50 45° F/BEND 3C PG	SD82/3C/TSO	SD 8X2 DADO TSO 3C PLATE PG
SD62/3C/FSB	SD 6X2 90° F/B 3C PG		
SD62/3C/FST	SD 6X2 3C FLAT TEE PG		
SD62/3C/IB	SD 150X50 45° INT/BEND 3C PG		
SD62/3C/ISB	SQ TOP DADO 6X2 INT BEND 3C PG		

Double Chamfered Dado - DCD Range

Product Codes

DOUBLE CHAMFERED DADO - DCD RANGE		DOUBLE CHAMFERED DADO - DCD RANGE	
Product Code	Description	Product Code	Description
DCD62/EC	DB CH DADO DCD 6X2 EC PG	DCD82/3C/EB	DCD 8X2 45° EXT/BEND 3C PG
DCD62/LC	DCD 6X2 LIDCOVER STRAP ASSY PG	DCD82/3C/ESB	DCD 8X2 EXT 90°BEND 3C PG
DCD62/2C	DCD 6X2 2M 2C TRUNKING PG	DCD82/3C/FSB	DCD 8X2 90°FLAT BEND 3C PG
DCD62/2C/EB	DCD 6X2 45° EXT/BEND 2C PG	DCD82/3C/FST	DCD 8X2 3C 90°FLAT SQ TEE PG
DCD62/2C/ESB	DCD 6X2 EXT 90°BEND 2C PG	DCD82/3C/IB	DCD 8X2 INT 45°BEND 3C PG
DCD62/2C/FSBD	DCD 6X2 90°F/BEND 2C DOWN PG	DCD82/3C/ISB	DCD 8X2 INT 90°BEND 3C PG
DCD62/2C/FSBU	DCD 6X2 90°F/BEND 2C UP PG	DCD82/3C/SSO	DCD 8X2 SINGLE SKT 3C PLATE PG
DCD62/2C/IB	DCD 6X2 INT 45°BEND 2C PG	DCD82/3C/TSO	DCD 8X2 TWIN SKT 3C PLATE PG
DCD62/2C/ISB	DCD 6X2 INT 90°BEND 2C PG		
DCD62/2C/SSO	DCD 6X2 SINGLE SKT 2C PLATE PG		
DCD62/2C/TSO	DCD 6X2 TWIN SKT 2C PLATE PG		
DCD62/2CFSTLD	DCD 6X2 2C F/TEE LH DOWN PG		
DCD62/2CFSTLU	DCD 6X2 2C F/TEE LH UP PG		
DCD62/2CFSTRD	DCD 6X2 2C F/TEE RH DOWN PG		
DCD62/2CFSTRU	DCD 6X2 2C F/TEE RH UP PG		
DCD82/EC	DB CH DADO DCD 8X2 EC PG		
DCD82/LC	DCD 8X2 LIDCOVER STRAP ASSY PG		
DCD82/2C	DCD 8X2 2M 2C TRUNKING PG		
DCD82/2C/EB	DCD 8X2 45° EXT/BEND 2C PG		
DCD82/2C/ESB	DCD 8X2 EXT 90°BEND 2C PG		
DCD82/2C/FSB	DCD 8X2 90°FLAT BEND 2C PG		
DCD82/2C/FST	DCD 8X2 2C 90°FLAT SQ TEE PG		
DCD82/2C/IB	DCD 8X2 INT 45°BEND 2C PG		
DCD82/2C/ISB	DCD 8X2 INT 90° SQ BEND 2C PG		
DCD82/2C/SSO	DCD 8X2 SINGLE SKT 2C PLATE PG		
DCD82/2C/TSO	DCD 8X2 TWIN SKT 2C PLATE PG		
DCD82/3C	DCD 8X2 2M 3C TRUNKING PG		

Chamfered Dado - CD Range

Product Codes

CHAMFERED DADO - CD RANGE	
Product Code	Description
CD62/EC/LH	CH TOP CD DADO 6X2 EC LH PG
CD62/EC/RH	CH TOP CD DADO 6X2 EC RH PG
CD62/LC	CD 6X2 LID COVER STRAP ASSY PG
CD62/2C	TOP/CH DADO 150X50 2M 2C PG
CD62/2C/EB	CD 150X50 45° EXT/BEND 2C PG
CD62/2C/ESB	CD 6X2 EXT 90° BEND 2C PG
CD62/2C/FSB/D	CD 6X2 90°FLAT BEND 2C DOWN PG
CD62/2C/FSB/U	CD 6X2 90°FLAT BEND 2C UP PG
CD62/2C/FSTLD	CD 6X2 2C F/TEE LH DOWN PG
CD62/2C/FSTLU	CD 6X2 2C F/TEE LH UP PG
CD62/2C/FSTRD	CD 6X2 2C F/TEE RH DOWN PG
CD62/2C/FSTRU	CD 6X2 2C F/TEE RH UP PG
CD62/2C/IB	CD 150X50 45° INT/BEND 2C PG
CD62/2C/ISB	CD DADO 6X2 INT 90°BEND 2C PG
CD622C/SSOBTM	CD 6X2 SSO 2C PLATE BOTTOM PG
CD622C/SSOTOP	CD 6X2 SSO 2C PLATE TOP PG
CD622C/TSOBTM	CD 6X2 TSO 2C PLATE BOTTOM PG
CD622C/TSOTOP	CD 6X2 TSO 2C PLATE TOP PG
CD62/3C	TOP/CH DADO 150X50 2M 3C PG
CD62/3C/EB	CD 150X50 45° EXT/BEND 3C PG
CD62/3C/ESB	CD 6X2 EXT 90° BEND 3C PG
CD62/3C/FSB/D	CD 6X2 90°FLAT BEND 3C DOWN PG
CD62/3C/FSTLD	CD 6X2 3C F/TEE LH DOWN PG
CD62/3C/FSTLU	CD 6X2 3C F/TEE LH UP PG
CD62/3C/FSTRD	CD 6X2 3C F/TEE RH DOWN PG
CD62/3C/FSTRU	CD 6X2 3C F/TEE RH UP PG
CD62/3C/IB	CD 150X50 45° INT/BEND 3C PG
CD62/3C/ISB	T/C DADO 6X2 INT 90°BEND 3C PG
CD62/3C/SSO	CD 6X2 3C SSO PLATE PG
CD62/3C/TSO	CD 6X2 3C TSO PLATE PG

CHAMFERED DADO - CD RANGE	
Product Code	Description
CD82/EC/LH	CH TOP CD DADO 8X2 EC LH PG
CD82/EC/RH	CH TOP CD DADO 8X2 EC RH PG
CD82/LC	CD 8X2 LID COVER STRAP ASSY PG
CD82/2C	TOP/CH DADO 200X50 2M 2C PG
CD82/2C/EB	CD 200X50 45° EXT/BEND 2C PG
CD82/2C/ESB	CD 8X2 EXT 90° BEND 2C PG
CD82/2C/FSB/D	CD 8X2 90°FLAT BEND 2C DOWN PG
CD82/2C/FSB/U	CD 8X2 90°FLAT BEND 2C UP PG
CD82/2C/FSTLD	CD 8X2 2C F/TEE LH DOWN PG
CD82/2C/FSTLU	CD 8X2 2C F/TEE LH UP PG
CD82/2C/FSTRD	CD 8X2 2C F/TEE RH DOWN PG
CD82/2C/FSTRU	CD 8X2 2C F/TEE RH UP PG
CD82/2C/IB	CD 200X50 45° INT/BEND 2C PG
CD82/2C/ISB	T/C DADO 8X2 INT 90°BEND 2C PG
CD82/3C	TOP/CH DADO 200X50 2M 3C PG
CD82/3C/EB	CD 200X50 45° EXT/BEND 3C PG
CD82/3C/ESB	CD 8X2 EXT 90° BEND 3C PG
CD82/3C/FSB/D	CD 8X2 90°FLAT BEND 3C DOWN PG
CD82/3C/FSB/U	CD 8X2 90°FLAT BEND 3C UP PG
CD82/3C/FSTLD	CD 8X2 3C F/TEE LH DOWN PG
CD82/3C/FSTLU	CD 8X2 3C F/TEE LH UP PG
CD82/3C/FSTRD	CD 8X2 3C F/TEE RH DOWN PG
CD82/3C/FSTRU	CD 8X2 3C F/TEE RH UP PG
CD82/3C/IB	CD 200X50 45° INT/BEND 3C PG
CD82/3C/ISB	T/C DADO 8X2 INT 90°BEND 3C PG
CD82/3C/SSO	CH/DADO 8X2 SSO 3C PLATE PG
CD82/3C/TSO	CH/DADO 8X2 TSO 3C PLATE PG
CD822C/SSOBTM	CD 8X2 SSO 2C PLATE BOTTOM PG
CD822C/SSOTOP	CD 8X2 SSO 2C PLATE TOP PG
CD822C/TSOBTM	CD 8X2 TSO 2C PLATE BOTTOM PG
CD822C/TSOTOP	CD 8X2 TSO 2C PLATE TOP PG

Top Chamfer - TC Range

Product Codes

TOP CHAMFER - TF RANGE	
Product Code	Description
TC62/EC/LH	T/CH 6X2 SKIRT EC LH PG
TC62/EC/RH	T/CH 6X2 SKIRT EC RH PG
TC62/LC	TC 6X2 LID COVER STRAP ASSY PG
TC62/2C	CH TOP SKIRT 150X50 2MT 2C PG
TC62/2C/EB	TC 150X50 45° EXT/BEND 2C PG
TC62/2C/ESB	T/CH SKT 6X2 90°EXT BEND 2C PG
TC62/2C/FSB/D	TC 6X2 90°F/BEND 2C DOWN PG
TC62/2C/FSB/U	TC 6X2 90°F/BEND 2C UP PG
TC62/2C/FSTLD	TC 6X2 2C F/TEE LH DOWN PG
TC62/2C/FSTLU	TC 6X2 2C F/TEE LH UP PG
TC62/2C/FSTRD	TC 6X2 2C F/TEE RH DOWN PG
TC62/2C/FSTRU	TC 6X2 2C F/TEE RH UP PG
TC62/2C/IB	T/CH150X50 45° INT/BEND 2C PG
TC62/2C/ISB	T/CH SKT 6X2 90°INT BEND 2C PG
TC622C/SSOBTM	T/CH 6X2 SKIRT SSO 2C PLATE BOTTOM PG
TC622C/SSOTOP	T/CH 6X2 SKIRT SSO 2C PLATE TOP PG
TC622C/TSOBTM	T/CH 6X2 SKIRT TSO 2C PLATE BOTTOM PG
TC622C/TSOTOP	T/CH 6X2 SKIRT TSO 2C PLATE TOP PG
TC62/3C	CH TOP SKIRT 150X50 2MT 3C PG
TC62/3C/EB	TC 150X50 45° EXT/BEND 3C PG
TC62/3C/ESB	T/CH SKT 6X2 90°EXT BEND 3C PG
TC62/3C/FSB/D	TC 6X2 90°F/BEND 3C DOWN PG
TC62/3C/FSB/U	TC 6X2 90°F/BEND 3C UP PG
TC62/3C/FSTLD	TC 6X2 3C F/TEE LH DOWN PG
TC62/3C/FSTLU	TC 6X2 3C F/TEE LH UP PG
TC62/3C/FSTRD	TC 6X2 3C F/TEE RH DOWN PG
TC62/3C/FSTRU	TC 6X2 3C F/TEE RH UP PG
TC62/3C/IB	T/C 150X50 45° INT/BEND 3C PG
TC62/3C/ISB	T/CH SKT 6X2 90°INT BEND 3C PG
TC62/3C/SSO	T/CH 6X2 SKIRT SSO 3C PLATE PG
TC62/3C/SSO	T/CH 6X2 SKIRT SSO 3C PLATE PG

TOP CHAMFER - TF RANGE	
Product Code	Description
TC82/EC/LH	T/CH 8X2 SKIRT EC LH PG
TC82/EC/RH	T/CH 8X2 SKIRT EC RH PG
TC82/LC	TC 8X2 LID COVER STRAP ASSY PG
TC82/2C	CH TOP SKIRT 200X50 2MT 2C PG
TC82/2C/EB	TC 200X50 45° EXT/BEND 2C PG
TC82/2C/ESB	T/CH SKT 8X2 90°EXT BEND 2C PG
TC82/2C/FSB/D	TC 8X2 90°F/BEND 2C DOWN PG
TC82/2C/FSB/U	TC 8X2 90°F/BEND 2C UP PG
TC82/2C/FSTLD	TC 8X2 2C F/TEE LH DOWN PG
TC82/2C/FSTLU	TC 8X2 2C F/TEE LH UP PG
TC82/2C/FSTRD	TC 8X2 2C F/TEE RH DOWN PG
TC82/2C/FSTRU	TC 8X2 2C F/TEE RH UP PG
TC82/2C/IB	T/C 200X50 45° INT/BEND 2C PG
TC82/2C/ISB	T/C SK 8X2 INT 90°BEND 2C PG
TC82/3C	CH TOP SKIRT 200X50 2MT 3C PG
TC82/3C/EB	TC 200X50 45° EXT/BEND 3C PG
TC82/3C/ESB	T/CH SKT 8X2 90°EXT BEND 3C PG
TC82/3C/FSB/D	TC 8X2 90°F/BEND 3C DOWN PG
TC82/3C/FSB/U	TC 8X2 90°F/BEND 3C UP PG
TC82/3C/FSTLD	TC 8X2 3C F/TEE LH DOWN PG
TC82/3C/FSTLU	TC 8X2 3C F/TEE LH UP PG
TC82/3C/FSTRD	TC 8X2 3C F/TEE RH DOWN PG
TC82/3C/FSTRU	TC 8X2 3C F/TEE RH UP PG
TC82/3C/IB	TC 200X50 45° INT/BEND 3C PG
TC82/3C/ISB	T/C SK 8X2 INT 90°BEND 3C PG
TC82/3C/SSO	T/CH 8X2 SK SSO 3C PLATE PG
TC82/3C/TSO	T/CH 8X2 SK TSO 3C PLATE PG
TC822C/SSOBTM	T/CH 8X2 SKIRT SSO 2C PLATE BOTTOM PG
TC822C/SSOTOP	T/CH 8X2 SKIRT SSO 2C PLATE TOP PG
TC822C/TSOBTM	T/CH 8X2 SKIRT TSO 2C PLATE BOTTOM PG
TC822C/TSOTOP	T/CH 8X2 SKIRT TSO 2C PLATE TOP PG

Top Flat - TF Range

Product Codes

TOP FLAT - TF RANGE	
Product Code	Description
TF62/EC/LH	TF SKIRT 6X2 ENDCAP LH PG
TF62/EC/RH	TF SKIRT 6X2 ENDCAP RH PG
TF62/LC	TF 6X2 LID COVER STRAP ASSY PG
TF62/2C	TF SKT 6X2 2M TRUNKING 2C PG
TF62/2C/EB	TF 150X50 45° EXT/BEND 2C PG
TF62/2C/ESB	TF SKT 6X2 EXT 90°BEND 2C PG
TF62/2C/FSB/D	TF SKT 6X2 90°F/B 2C DOWN PG
TF62/2C/FSB/U	TF SKT 6X2 90°F/B 2C UP PG
TF62/2C/FSTLD	TF 6X2 2C F/TEE LH DOWN PG
TF62/2C/FSTLU	TF 6X2 2C F/TEE LH UP PG
TF62/2C/FSTRD	TF 6X2 2C F/TEE RH DOWN PG
TF62/2C/FSTRU	TF 6X2 2C F/TEE RH UP PG
TF62/2C/IB	TF 150X50 45° INT/BEND 2C PG
TF62/2C/ISB	TF SKT 6X2 INT 90°BEND 2C PG
TF622C/SSOBTM	TF 6X2 SKIRT SSO 2C PLATE BOTTOM PG
TF622C/SSOTOP	TF 6X2 SKIRT SSO 2C PLATE TOP PG
TF622C/TSOBTM	TF 6X2 SKIRT TSO 2C PLATE BOTTOM PG
TF622C/TSOTOP	TF 6X2 SKIRT TSO 2C PLATE TOP PG
TF62/3C	TF SKT 6X2 2M TRUNKING 3C PG
TF62/3C/EB	TF 150X50 45° EXT/BEND 3C PG
TF62/3C/ESB	TF SKT 6X2 EXT 90°BEND 3C PG
TF62/3C/FSB/D	TF SKT 6X2 90°F/B 3C DOWN PG
TF62/3C/FSB/U	TF SKT 6X2 90°F/B 3C UP PG
TF62/3C/FSTLD	TF 6X2 3C F/TEE LH DOWN PG
TF62/3C/FSTLU	TF 6X2 3C F/TEE LH UP PG
TF62/3C/FSTRD	TF 6X2 3C F/TEE RH DOWN PG
TF62/3C/FSTRU	TF 6X2 3C F/TEE RH UP PG
TF62/3C/IB	TF 150X50 45° INT/BEND 3C PG
TF62/3C/ISB	TF SKT 6X2 INT 90°BEND 3C PG
TF62/3C/SSO	TF 6X2 SKIRT SSO 3C PLATE PG
TF62/3C/TSO	TF 6X2 SKIRT TSO 3C PLATE PG

TOP FLAT - TF RANGE	
Product Code	Description
TF82/EC/LH	TF SKIRT 8X2 ENDCAP LH PG
TF82/EC/RH	TF SKIRT 8X2 ENDCAP RH PG
TF82/LC	TF 8X2 LID COVER STRAP ASSY PG
TF82/2C	TF SKT 8X2 2M TRUNKING 2C PG
TF82/2C/EB	TF 200X50 45° EXT/BEND 2C PG
TF82/2C/ESB	TF SKT 8X2 EXT 90°BEND 2C PG
TF82/2C/FSB/D	TF SKT 8X2 90°F/B 2C DOWN PG
TF82/2C/FSB/U	TF SKT 8X2 90°F/B 2C UP PG
TF82/2C/FSTLD	TF 8X2 2C F/TEE LH DOWN PG
TF82/2C/FSTLU	TF 8X2 2C F/TEE LH UP PG
TF82/2C/FSTRD	TF 8X2 2C F/TEE RH DOWN PG
TF82/2C/FSTRU	TF 8X2 2C F/TEE RH UP PG
TF82/2C/IB	TF 200X50 45° INT/BEND 2C PG
TF82/2C/ISB	TF SKT 8X2 INT 90°BEND 2C PG
TF82/3C	TF SKT 8X2 2M TRUNKING 3C PG
TF82/3C/EB	TF 200X50 45° EXT/BEND 3C PG
TF82/3C/ESB	TF SKT 8X2 EXT 90°BEND 3C PG
TF82/3C/FSB/D	TF SKT 8X2 90°F/B 3C DOWN PG
TF82/3C/FSB/U	TF SKT 8X2 90°F/B 3C UP PG
TF82/3C/FSTLD	TF 8X2 3C F/TEE LH DOWN PG
TF82/3C/FSTLU	TF 8X2 3C F/TEE LH UP PG
TF82/3C/FSTRD	TF 8X2 3C F/TEE RH DOWN PG
TF82/3C/FSTRU	TF 8X2 3C F/TEE RH UP PG
TF82/3C/IB	TF 200X50 45° INT/BEND 3C PG
TF82/3C/ISB	TF SKT 8X2 INT 90°BEND 3C PG
TF82/3C/SSO	TF 8X2 SKT SSO 3C PLATE PG
TF82/3C/TSO	TF 8X2 SKT TSO 3C PLATE PG
TF822C/SSOBTM	TF 8X2 SKIRT SSO 2C PLATE BOTTOM PG
TF822C/SSOTOP	TF 8X2 SKIRT SSO 2C PLATE TOP PG
TF822C/TSOBTM	TF 8X2 SKIRT TSO 2C PLATE BOTTOM PG
TF822C/TSOTOP	TF 8X2 SKIRT TSO 2C PLATE TOP PG


Floor Boxes

Product Codes

Product Code	Description
CAV/3/60	CAV 3C 60MM DEEP SERV. BOX
CAV/3/65	CAV 3C 65MM DEEP SERV. BOX
CAV/3/75	CAV 3C 75MM DEEP SERV. BOX
CAV/3/90	CAV 3C 90MM DEEP SERV. BOX
CAV/4/60	CAV 4C 60MM DEEP SERV. BOX
CAV/4/65	CAV 4C 65MM DEEP SERV. BOX
CAV/4/75	CAV 4C 75MM DEEP SERV. BOX
CAV/4/90	CAV 4C 90MM DEEP SERV. BOX
Screed	
SCD/3/60	SCREED 3C 60MM DEEP SERV. BOX
SCD/3/65	SCREED 3C 65MM DEEP SERV. BOX
SCD/3/75	SCREED 3C 75MM DEEP SERV. BOX
SCD/3/90	SCREED 3C 90MM DEEP SERV. BOX
SCD/4/60	SCREED 4C 60MM DEEP SERV. BOX
SCD/4/65	SCREED 4C 65MM DEEP SERV. BOX
SCD/4/75	SCREED 4C 75MM DEEP SERV. BOX
SCD/4/90	SCREED 4C 90MM DEEP SERV. BOX

Notes

Key Takings

A large rectangular area filled with a fine grid pattern, intended for taking notes.



Allied Tube & Conduit ▴ AFC Cable Systems ▴ Heritage Plastics ▴ Cii ▴ Unistrut ▴ US Tray
Unistrut Construction ▴ Marco ▴ Calpipe Security ▴ Calbrite ▴ Calbond ▴ Flexicon ▴ Kaf-Tech
Power-Strut ▴ Calconduit ▴ FRE Composites ▴ United Poly Systems ▴ Sasco Strut ▴ Columbia-MBF
Elite Polymer Solutions ▴ Four Star Industries ▴ Eastern Wire + Conduit ▴ ACS/Uni-Fab ▴ Vergokan
Northwest Polymers ▴ Cascade Poly Pipe + Conduit ▴ Razor Ribbon ▴ Queen City Plastics ▴ Cope

Atkore Unistrut & Marco
Delta Point,
Greetings Green Road
West Bromwich
B70 9PL

PHONE / +44 (0) 121 580 6300
FAX / +44 (0) 121 580 6370

atkore.com/marco
atkore.com/unistrut